



SF-66, 3rd Floor, Shrimad Bhavan, Opp. Kanta Stri Vikas Gruh,

Nr.Dhebar Road, Rajkot-360 002

Mo. 099258 53111, E-mail :- balajiinfoworld11@yahoo.in

Debit Memo

TAX INVOICE

ORIGINAL

M/s. : T N RAO COLLEGE OF TEACHER EDUCATION

Invoice No. : GT/49

Date : 09/07/2022

RAJKOT

Transport :

Place of Supply : 24-Gujarat

Date : / /

Delivery By :

SrNo	Product Name	HSN/SAC	Qty	Rate	GST%	Amount
1	INTEL CPU I5-10400	8473	60.000	20593.22	18.0	1235593.20
2	GIGABYTE MOTHER BOARD H510-MH	8473	60.000			
3	RAM 8 GB DESKTOP	84733030	60.000			
4	ZEBRONICS G210-1GB GRAPHICS CARD	8473	60.000			
5	SSD 256GB	8523	60.000			
6	DELL KEYBOARD USB	84716090	60.000			
7	DELL OPTICAL MOUSE USB	84716060	60.000			
8	FOXIN SMPS 450W	8524	60.000			
9	FOXIN CABINET ATX W/O SMPS FC 8101		60.000			
10	LG 18.5 HDMI 19M38-H	8528	60.000	6101.69	18.0	366101.40

GSTIN No.: 24AAPFB4116R1Z2

Sub Total

1601694.60

Bank Name : KOTAK MAHINDRA BANK Branch : 80FT ROAD RAJKOT

Bank A/c. No. : 4111991899

RTGS/IFSC Code : KKBK0002791

Total GST : Two Lakh Eighty Eight Thousand Three Hundred Five And Four Paise Only

Bill Amount : Eighteen Lakh Ninety Thousand Only

Taxable Amount

1601694.60

CGST

144152.52

SGST

144152.52

Round Off

0.36

Note :

Grand Total

18,90,000.00

Terms & Condition :

For, BALAJI INFOWORLD

1. Goods once sold will not be taken back.
2. Interest @18% p.a. will be charged if payment is not made within due date.
3. Our risk and responsibility ceases as soon as the goods leave our premises.
4. "E.&O.E. "

(Authorised Signatory)

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	1	CPU	FIRST	LAB	WORKING	1
CPU	2	CPU	FIRST	LAB	WORKING	1
CPU	3	CPU	FIRST	LAB	WORKING	1
CPU	4	CPU	FIRST	LAB	WORKING	1
CPU	5	CPU	FIRST	LAB	WORKING	1
CPU	6	CPU	FIRST	LAB	WORKING	1
CPU	7	CPU	FIRST	LAB	WORKING	1
CPU	8	CPU	FIRST	LAB	WORKING	1
CPU	9	CPU	FIRST	LAB	WORKING	1
CPU	10	CPU	FIRST	LAB	WORKING	1
CPU	11	CPU	FIRST	LAB	WORKING	1
CPU	12	CPU	FIRST	LAB	WORKING	1
CPU	13	CPU	FIRST	LAB	WORKING	1
CPU	14	CPU	FIRST	LAB	WORKING	1
CPU	15	CPU	FIRST	LAB	WORKING	1
CPU	16	CPU	FIRST	LAB	WORKING	1
CPU	17	CPU	FIRST	LAB	WORKING	1
CPU	18	CPU	FIRST	LAB	NOT WORKING	1
CPU	19	CPU	FIRST	LAB	NOT WORKING	1
CPU	20	CPU	FIRST	LAB	WORKING	1
CPU	21	CPU	FIRST	LAB	WORKING	1
CPU	22	CPU	FIRST	LAB	WORKING	1
CPU	23	CPU	FIRST	LAB	WORKING	1
CPU	24	CPU	FIRST	LAB	WORKING	1
CPU	25	CPU	FIRST	LAB	WORKING	1
CPU	26	CPU	FIRST	LAB	WORKING	1
CPU	27	CPU	FIRST	LAB	WORKING	1
CPU	28	CPU	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	29	CPU	FIRST	LAB	WORKING	1
CPU	30	CPU	FIRST	LAB	WORKING	1
CPU	31	CPU	FIRST	LAB	WORKING	1
CPU	32	CPU	FIRST	LAB	WORKING	1
CPU	33	CPU	FIRST	LAB	WORKING	1
CPU	34	CPU	FIRST	LAB	WORKING	1
CPU	35	CPU	FIRST	LAB	WORKING	1
CPU	36	CPU	FIRST	LAB	WORKING	1
CPU	37	CPU	FIRST	LAB	WORKING	1
CPU	38	CPU	FIRST	LAB	WORKING	1
CPU	39	CPU	FIRST	LAB	WORKING	1
CPU	40	CPU	FIRST	LAB	WORKING	1
CPU	41	CPU	FIRST	LAB	WORKING	1
CPU	42	CPU	FIRST	LAB	WORKING	1
CPU	43	CPU	FIRST	LAB	WORKING	1
CPU	44	CPU	FIRST	LAB	WORKING	1
CPU	45	CPU	FIRST	LAB	WORKING	1
CPU	46	CPU	FIRST	LAB	WORKING	1
CPU	47	CPU	FIRST	LAB	WORKING	1
CPU	48	CPU	FIRST	LAB	WORKING	1
CPU	49	CPU	FIRST	LAB	WORKING	1
CPU	50	CPU	FIRST	LAB	WORKING	1
CPU	51	CPU	FIRST	LAB	WORKING	1
CPU	52	CPU	FIRST	LAB	WORKING	1
CPU	53	CPU	FIRST	LAB	NOT WORKING	1
CPU	54	CPU	FIRST	LAB	WORKING	1
CPU	55	CPU	FIRST	LAB	WORKING	1
CPU	56	CPU	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	57	CPU	FIRST	LAB	WORKING	1
CPU	58	CPU	FIRST	LAB	WORKING	1
CPU	59	CPU	FIRST	LAB	WORKING	1
CPU	60	CPU	FIRST	LAB	WORKING	1
CPU	61	CPU	FIRST	LAB	WORKING	1
CPU	62	CPU	FIRST	LAB	WORKING	1
CPU	63	CPU	FIRST	LAB	WORKING	1
CPU	64	CPU	FIRST	LAB	WORKING	1
CPU	65	CPU	FIRST	LAB	WORKING	1
CPU	66	CPU	FIRST	LAB	WORKING	1
CPU	67	CPU	FIRST	LAB	WORKING	1
CPU	68	CPU	FIRST	LAB	WORKING	1
CPU	69	CPU	FIRST	LAB	WORKING	1
CPU	70	CPU	FIRST	LAB	WORKING	1
CPU	71	CPU	FIRST	LAB	WORKING	1
CPU	72	CPU	FIRST	LAB	WORKING	1
CPU	73	CPU	FIRST	LAB	WORKING	1
CPU	74	CPU	FIRST	LAB	WORKING	1
CPU	75	CPU	FIRST	LAB	WORKING	1
CPU	76	CPU	FIRST	LAB	WORKING	1
CPU	77	CPU	FIRST	LAB	WORKING	1
CPU	78	CPU	FIRST	LAB	NOT WORKING	1
CPU	79	CPU	FIRST	LAB	WORKING	1
CPU	80	CPU	FIRST	LAB	WORKING	1
CPU	81	CPU	FIRST	LAB	WORKING	1
CPU	82	CPU	FIRST	LAB	WORKING	1
CPU	83	CPU	FIRST	LAB	WORKING	1
CPU	84	CPU	FIRST	LAB	NOT WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	85	CPU	FIRST	LAB	WORKING	1
CPU	86	CPU	FIRST	LAB	NOT WORKING	1
CPU	87	CPU	FIRST	LAB	WORKING	1
CPU	88	CPU	FIRST	LAB	WORKING	1
CPU	89	CPU	FIRST	LAB	WORKING	1
CPU	90	CPU	FIRST	LAB	WORKING	1
CPU	91	CPU	FIRST	LAB	WORKING	1
CPU	92	CPU	FIRST	LAB	WORKING	1
CPU	93	CPU	FIRST	LAB	WORKING	1
CPU	94	CPU	FIRST	LAB	NOT WORKING	1
CPU	95	CPU	FIRST	LAB	WORKING	1
CPU	96	CPU	FIRST	LAB	WORKING	1
CPU	97	CPU	FIRST	LAB	WORKING	1
CPU	98	CPU	FIRST	LAB	WORKING	1
CPU	99	CPU	FIRST	LAB	WORKING	1
CPU	100	CPU	FIRST	LAB	WORKING	1
CPU	101	CPU	FIRST	LAB	WORKING	1
CPU	102	CPU	FIRST	LAB	WORKING	1
CPU	103	CPU	FIRST	LAB	WORKING	1
CPU	104	CPU	FIRST	LAB	WORKING	1
CPU	105	CPU	FIRST	LAB	NOT WORKING	1
CPU	106	CPU	FIRST	LAB	WORKING	1
CPU	107	CPU	FIRST	LAB	WORKING	1
CPU	108	CPU	FIRST	LAB	NOT WORKING	1
CPU	109	CPU	FIRST	LAB	WORKING	1
CPU	110	CPU	FIRST	LAB	WORKING	1
CPU	111	CPU	FIRST	LAB	NOT WORKING	1
CPU	112	CPU	FIRST	LAB	NOT WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	113	CPU	FIRST	LAB	WORKING	1
CPU	114	CPU	FIRST	LAB	WORKING	1
CPU	115	CPU	FIRST	LAB	WORKING	1
CPU	116	CPU	FIRST	LAB	WORKING	1
CPU	117	CPU	FIRST	LAB	WORKING	1
CPU	118	CPU	FIRST	LAB	WORKING	1
CPU	119	CPU	FIRST	LAB	WORKING	1
CPU	120	CPU	FIRST	LAB	WORKING	1
MONITER	1	MONITER	FIRST	LAB	WORKING	1
MONITER	2	MONITER	FIRST	LAB	WORKING	1
MONITER	3	MONITER	FIRST	LAB	WORKING	1
MONITER	4	MONITER	FIRST	LAB	WORKING	1
MONITER	5	MONITER	FIRST	LAB	WORKING	1
MONITER	6	MONITER	FIRST	LAB	WORKING	1
MONITER	7	MONITER	FIRST	LAB	WORKING	1
MONITER	8	MONITER	FIRST	LAB	WORKING	1
MONITER	9	MONITER	FIRST	LAB	WORKING	1
MONITER	10	MONITER	FIRST	LAB	WORKING	1
MONITER	11	MONITER	FIRST	LAB	WORKING	1
MONITER	12	MONITER	FIRST	LAB	WORKING	1
MONITER	13	MONITER	FIRST	LAB	WORKING	1
MONITER	14	MONITER	FIRST	LAB	WORKING	1
MONITER	15	MONITER	FIRST	LAB	WORKING	1
MONITER	16	MONITER	FIRST	LAB	WORKING	1
MONITER	17	MONITER	FIRST	LAB	WORKING	1
MONITER	18	MONITER	FIRST	LAB	WORKING	1
MONITER	19	MONITER	FIRST	LAB	WORKING	1
MONITER	20	MONITER	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER	21	MONITER	FIRST	LAB	WORKING	1
MONITER	22	MONITER	FIRST	LAB	WORKING	1
MONITER	23	MONITER	FIRST	LAB	WORKING	1
MONITER	24	MONITER	FIRST	LAB	WORKING	1
MONITER	25	MONITER	FIRST	LAB	WORKING	1
MONITER	26	MONITER	FIRST	LAB	WORKING	1
MONITER	27	MONITER	FIRST	LAB	WORKING	1
MONITER	28	MONITER	FIRST	LAB	WORKING	1
MONITER	29	MONITER	FIRST	LAB	WORKING	1
MONITER	30	MONITER	FIRST	LAB	WORKING	1
MONITER	31	MONITER	FIRST	LAB	WORKING	1
MONITER	32	MONITER	FIRST	LAB	WORKING	1
MONITER	33	MONITER	FIRST	LAB	WORKING	1
MONITER	34	MONITER	FIRST	LAB	WORKING	1
MONITER	35	MONITER	FIRST	LAB	WORKING	1
MONITER	36	MONITER	FIRST	LAB	WORKING	1
MONITER	37	MONITER	FIRST	LAB	WORKING	1
MONITER	38	MONITER	FIRST	LAB	WORKING	1
MONITER	39	MONITER	FIRST	LAB	WORKING	1
MONITER	40	MONITER	FIRST	LAB	WORKING	1
MONITER	41	MONITER	FIRST	LAB	WORKING	1
MONITER	42	MONITER	FIRST	LAB	WORKING	1
MONITER	43	MONITER	FIRST	LAB	WORKING	1
MONITER	44	MONITER	FIRST	LAB	WORKING	1
MONITER	45	MONITER	FIRST	LAB	WORKING	1
MONITER	46	MONITER	FIRST	LAB	WORKING	1
MONITER	47	MONITER	FIRST	LAB	WORKING	1
MONITER	48	MONITER	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER	49	MONITER	FIRST	LAB	WORKING	1
MONITER	50	MONITER	FIRST	LAB	WORKING	1
MONITER	51	MONITER	FIRST	LAB	WORKING	1
MONITER	52	MONITER	FIRST	LAB	WORKING	1
MONITER	53	MONITER	FIRST	LAB	WORKING	1
MONITER	54	MONITER	FIRST	LAB	WORKING	1
MONITER	55	MONITER	FIRST	LAB	WORKING	1
MONITER	56	MONITER	FIRST	LAB	WORKING	1
MONITER	57	MONITER	FIRST	LAB	WORKING	1
MONITER	58	MONITER	FIRST	LAB	WORKING	1
MONITER	59	MONITER	FIRST	LAB	WORKING	1
MONITER	60	MONITER	FIRST	LAB	WORKING	1
MONITER	61	MONITER	FIRST	LAB	WORKING	1
MONITER	62	MONITER	FIRST	LAB	WORKING	1
MONITER	63	MONITER	FIRST	LAB	WORKING	1
MONITER	64	MONITER	FIRST	LAB	WORKING	1
MONITER	65	MONITER	FIRST	LAB	WORKING	1
MONITER	66	MONITER	FIRST	LAB	WORKING	1
MONITER	67	MONITER	FIRST	LAB	WORKING	1
MONITER	68	MONITER	FIRST	LAB	WORKING	1
MONITER	69	MONITER	FIRST	LAB	WORKING	1
MONITER	70	MONITER	FIRST	LAB	WORKING	1
MONITER	71	MONITER	FIRST	LAB	WORKING	1
MONITER	72	MONITER	FIRST	LAB	WORKING	1
MONITER	73	MONITER	FIRST	LAB	WORKING	1
MONITER	74	MONITER	FIRST	LAB	WORKING	1
MONITER	75	MONITER	FIRST	LAB	WORKING	1
MONITER	76	MONITER	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER	77	MONITER	FIRST	LAB	WORKING	1
MONITER	78	MONITER	FIRST	LAB	WORKING	1
MONITER	79	MONITER	FIRST	LAB	WORKING	1
MONITER	80	MONITER	FIRST	LAB	WORKING	1
MONITER	81	MONITER	FIRST	LAB	WORKING	1
MONITER	82	MONITER	FIRST	LAB	WORKING	1
MONITER	83	MONITER	FIRST	LAB	WORKING	1
MONITER	84	MONITER	FIRST	LAB	WORKING	1
MONITER	85	MONITER	FIRST	LAB	WORKING	1
MONITER	86	MONITER	FIRST	LAB	WORKING	1
MONITER	87	MONITER	FIRST	LAB	WORKING	1
MONITER	88	MONITER	FIRST	LAB	WORKING	1
MONITER	89	MONITER	FIRST	LAB	WORKING	1
MONITER	90	MONITER	FIRST	LAB	WORKING	1
MONITER	91	MONITER	FIRST	LAB	WORKING	1
MONITER	92	MONITER	FIRST	LAB	WORKING	1
MONITER	93	MONITER	FIRST	LAB	WORKING	1
MONITER	94	MONITER	FIRST	LAB	WORKING	1
MONITER	95	MONITER	FIRST	LAB	WORKING	1
MONITER	96	MONITER	FIRST	LAB	WORKING	1
MONITER	97	MONITER	FIRST	LAB	WORKING	1
MONITER	98	MONITER	FIRST	LAB	WORKING	1
MONITER	99	MONITER	FIRST	LAB	WORKING	1
MONITER	100	MONITER	FIRST	LAB	WORKING	1
MONITER	101	MONITER	FIRST	LAB	WORKING	1
MONITER	102	MONITER	FIRST	LAB	WORKING	1
MONITER	103	MONITER	FIRST	LAB	WORKING	1
MONITER	104	MONITER	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER	105	MONITER	FIRST	LAB	WORKING	1
MONITER	106	MONITER	FIRST	LAB	WORKING	1
MONITER	107	MONITER	FIRST	LAB	WORKING	1
MONITER	108	MONITER	FIRST	LAB	WORKING	1
MONITER	109	MONITER	FIRST	LAB	WORKING	1
MONITER	110	MONITER	FIRST	LAB	WORKING	1
MONITER	111	MONITER	FIRST	LAB	WORKING	1
MONITER	112	MONITER	FIRST	LAB	WORKING	1
MONITER	113	MONITER	FIRST	LAB	WORKING	1
MONITER	114	MONITER	FIRST	LAB	WORKING	1
MONITER	115	MONITER	FIRST	LAB	WORKING	1
MONITER	116	MONITER	FIRST	LAB	WORKING	1
MONITER	117	MONITER	FIRST	LAB	WORKING	1
MONITER	118	MONITER	FIRST	LAB	WORKING	1
MONITER	119	MONITER	FIRST	LAB	WORKING	1
MONITER	120	MONITER	FIRST	LAB	WORKING	1
KEYBOARD	1	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	2	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	3	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	4	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	5	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	6	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	7	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	8	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	9	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	10	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	11	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	12	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	13	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	14	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	15	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	16	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	17	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	18	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	19	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	20	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	21	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	22	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	23	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	24	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	25	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	26	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	27	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	28	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	29	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	30	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	31	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	32	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	33	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	34	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	35	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	36	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	37	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	38	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	39	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	40	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	41	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	42	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	43	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	44	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	45	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	46	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	47	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	48	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	49	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	50	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	51	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	52	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	53	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	54	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	55	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	56	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	57	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	58	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	59	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	60	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	61	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	62	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	63	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	64	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	65	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	66	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	67	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	68	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	69	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	70	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	71	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	72	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	73	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	74	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	75	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	76	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	77	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	78	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	79	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	80	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	81	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	82	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	83	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	84	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	85	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	86	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	87	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	88	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	89	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	90	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	91	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	92	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	93	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	94	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	95	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	96	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	97	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	98	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	99	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	100	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	101	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	102	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	103	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	104	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	105	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	106	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	107	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	108	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	109	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	110	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	111	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	112	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	113	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	114	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	115	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	116	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	117	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	118	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	119	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	120	KEYBOARD	FIRST	LAB	WORKING	1
MOUSE	1	MOUSE	FIRST	LAB	WORKING	1
MOUSE	2	MOUSE	FIRST	LAB	WORKING	1
MOUSE	3	MOUSE	FIRST	LAB	WORKING	1
MOUSE	4	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	5	MOUSE	FIRST	LAB	WORKING	1
MOUSE	6	MOUSE	FIRST	LAB	WORKING	1
MOUSE	7	MOUSE	FIRST	LAB	WORKING	1
MOUSE	8	MOUSE	FIRST	LAB	WORKING	1
MOUSE	9	MOUSE	FIRST	LAB	WORKING	1
MOUSE	10	MOUSE	FIRST	LAB	WORKING	1
MOUSE	11	MOUSE	FIRST	LAB	WORKING	1
MOUSE	12	MOUSE	FIRST	LAB	WORKING	1
MOUSE	13	MOUSE	FIRST	LAB	WORKING	1
MOUSE	14	MOUSE	FIRST	LAB	WORKING	1
MOUSE	15	MOUSE	FIRST	LAB	WORKING	1
MOUSE	16	MOUSE	FIRST	LAB	WORKING	1
MOUSE	17	MOUSE	FIRST	LAB	WORKING	1
MOUSE	18	MOUSE	FIRST	LAB	WORKING	1
MOUSE	19	MOUSE	FIRST	LAB	WORKING	1
MOUSE	20	MOUSE	FIRST	LAB	WORKING	1
MOUSE	21	MOUSE	FIRST	LAB	WORKING	1
MOUSE	22	MOUSE	FIRST	LAB	WORKING	1
MOUSE	23	MOUSE	FIRST	LAB	WORKING	1
MOUSE	24	MOUSE	FIRST	LAB	WORKING	1
MOUSE	25	MOUSE	FIRST	LAB	WORKING	1
MOUSE	26	MOUSE	FIRST	LAB	WORKING	1
MOUSE	27	MOUSE	FIRST	LAB	WORKING	1
MOUSE	28	MOUSE	FIRST	LAB	WORKING	1
MOUSE	29	MOUSE	FIRST	LAB	WORKING	1
MOUSE	30	MOUSE	FIRST	LAB	WORKING	1
MOUSE	31	MOUSE	FIRST	LAB	WORKING	1
MOUSE	32	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	33	MOUSE	FIRST	LAB	WORKING	1
MOUSE	34	MOUSE	FIRST	LAB	WORKING	1
MOUSE	35	MOUSE	FIRST	LAB	WORKING	1
MOUSE	36	MOUSE	FIRST	LAB	WORKING	1
MOUSE	37	MOUSE	FIRST	LAB	WORKING	1
MOUSE	38	MOUSE	FIRST	LAB	WORKING	1
MOUSE	39	MOUSE	FIRST	LAB	WORKING	1
MOUSE	40	MOUSE	FIRST	LAB	WORKING	1
MOUSE	41	MOUSE	FIRST	LAB	WORKING	1
MOUSE	42	MOUSE	FIRST	LAB	WORKING	1
MOUSE	43	MOUSE	FIRST	LAB	WORKING	1
MOUSE	44	MOUSE	FIRST	LAB	WORKING	1
MOUSE	45	MOUSE	FIRST	LAB	WORKING	1
MOUSE	46	MOUSE	FIRST	LAB	WORKING	1
MOUSE	47	MOUSE	FIRST	LAB	WORKING	1
MOUSE	48	MOUSE	FIRST	LAB	WORKING	1
MOUSE	49	MOUSE	FIRST	LAB	WORKING	1
MOUSE	50	MOUSE	FIRST	LAB	WORKING	1
MOUSE	51	MOUSE	FIRST	LAB	WORKING	1
MOUSE	52	MOUSE	FIRST	LAB	WORKING	1
MOUSE	53	MOUSE	FIRST	LAB	WORKING	1
MOUSE	54	MOUSE	FIRST	LAB	WORKING	1
MOUSE	55	MOUSE	FIRST	LAB	WORKING	1
MOUSE	56	MOUSE	FIRST	LAB	WORKING	1
MOUSE	57	MOUSE	FIRST	LAB	WORKING	1
MOUSE	58	MOUSE	FIRST	LAB	WORKING	1
MOUSE	59	MOUSE	FIRST	LAB	WORKING	1
MOUSE	60	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	61	MOUSE	FIRST	LAB	WORKING	1
MOUSE	62	MOUSE	FIRST	LAB	WORKING	1
MOUSE	63	MOUSE	FIRST	LAB	WORKING	1
MOUSE	64	MOUSE	FIRST	LAB	WORKING	1
MOUSE	65	MOUSE	FIRST	LAB	WORKING	1
MOUSE	66	MOUSE	FIRST	LAB	WORKING	1
MOUSE	67	MOUSE	FIRST	LAB	WORKING	1
MOUSE	68	MOUSE	FIRST	LAB	WORKING	1
MOUSE	69	MOUSE	FIRST	LAB	WORKING	1
MOUSE	70	MOUSE	FIRST	LAB	WORKING	1
MOUSE	71	MOUSE	FIRST	LAB	WORKING	1
MOUSE	72	MOUSE	FIRST	LAB	WORKING	1
MOUSE	73	MOUSE	FIRST	LAB	WORKING	1
MOUSE	74	MOUSE	FIRST	LAB	WORKING	1
MOUSE	75	MOUSE	FIRST	LAB	WORKING	1
MOUSE	76	MOUSE	FIRST	LAB	WORKING	1
MOUSE	77	MOUSE	FIRST	LAB	WORKING	1
MOUSE	78	MOUSE	FIRST	LAB	WORKING	1
MOUSE	79	MOUSE	FIRST	LAB	WORKING	1
MOUSE	80	MOUSE	FIRST	LAB	WORKING	1
MOUSE	81	MOUSE	FIRST	LAB	WORKING	1
MOUSE	82	MOUSE	FIRST	LAB	WORKING	1
MOUSE	83	MOUSE	FIRST	LAB	WORKING	1
MOUSE	84	MOUSE	FIRST	LAB	WORKING	1
MOUSE	85	MOUSE	FIRST	LAB	WORKING	1
MOUSE	86	MOUSE	FIRST	LAB	WORKING	1
MOUSE	87	MOUSE	FIRST	LAB	WORKING	1
MOUSE	88	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	89	MOUSE	FIRST	LAB	WORKING	1
MOUSE	90	MOUSE	FIRST	LAB	WORKING	1
MOUSE	91	MOUSE	FIRST	LAB	WORKING	1
MOUSE	92	MOUSE	FIRST	LAB	WORKING	1
MOUSE	93	MOUSE	FIRST	LAB	WORKING	1
MOUSE	94	MOUSE	FIRST	LAB	WORKING	1
MOUSE	95	MOUSE	FIRST	LAB	WORKING	1
MOUSE	96	MOUSE	FIRST	LAB	WORKING	1
MOUSE	97	MOUSE	FIRST	LAB	WORKING	1
MOUSE	98	MOUSE	FIRST	LAB	WORKING	1
MOUSE	99	MOUSE	FIRST	LAB	WORKING	1
MOUSE	100	MOUSE	FIRST	LAB	WORKING	1
MOUSE	101	MOUSE	FIRST	LAB	WORKING	1
MOUSE	102	MOUSE	FIRST	LAB	WORKING	1
MOUSE	103	MOUSE	FIRST	LAB	WORKING	1
MOUSE	104	MOUSE	FIRST	LAB	WORKING	1
MOUSE	105	MOUSE	FIRST	LAB	WORKING	1
MOUSE	106	MOUSE	FIRST	LAB	WORKING	1
MOUSE	107	MOUSE	FIRST	LAB	WORKING	1
MOUSE	108	MOUSE	FIRST	LAB	WORKING	1
MOUSE	109	MOUSE	FIRST	LAB	WORKING	1
MOUSE	110	MOUSE	FIRST	LAB	WORKING	1
MOUSE	111	MOUSE	FIRST	LAB	WORKING	1
MOUSE	112	MOUSE	FIRST	LAB	WORKING	1
MOUSE	113	MOUSE	FIRST	LAB	WORKING	1
MOUSE	114	MOUSE	FIRST	LAB	WORKING	1
MOUSE	115	MOUSE	FIRST	LAB	WORKING	1
MOUSE	116	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	117	MOUSE	FIRST	LAB	WORKING	1
MOUSE	118	MOUSE	FIRST	LAB	WORKING	1
MOUSE	119	MOUSE	FIRST	LAB	WORKING	1
MOUSE	120	MOUSE	FIRST	LAB	WORKING	1
CPU POWER CABLE	1	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	2	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	3	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	4	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	5	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	6	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	7	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	8	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	9	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	10	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	11	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	12	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	13	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	14	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	15	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	16	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	17	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	18	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	19	CABLE	FIRST	LAB		1
CPU POWER CABLE	20	CABLE	FIRST	LAB		1
CPU POWER CABLE	21	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	22	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	23	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	24	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	25	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	26	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	27	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	28	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	29	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	30	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	31	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	32	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	33	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	34	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	35	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	36	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	37	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	38	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	39	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	40	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	41	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	42	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	43	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	44	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	45	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	46	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	47	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	48	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	49	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	50	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	51	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	52	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	53	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	54	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	55	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	56	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	57	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	58	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	59	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	60	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	61	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	62	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	63	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	64	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	65	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	66	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	67	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	68	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	69	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	70	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	71	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	72	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	73	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	74	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	75	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	76	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	77	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	78	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	79	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	80	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	81	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	82	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	83	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	84	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	85	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	86	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	87	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	88	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	89	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	90	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	91	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	92	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	93	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	94	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	95	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	96	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	97	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	98	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	99	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	100	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	101	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	102	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	103	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	104	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	105	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	106	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	107	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	108	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	109	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	110	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	111	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	112	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	113	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	114	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	115	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	116	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	117	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	118	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	119	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	120	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	1	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	2	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	3	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	4	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	5	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	6	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	7	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	8	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	9	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	10	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	11	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	12	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	13	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	14	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	15	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	16	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	17	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	18	CABLE	FIRST	LAB		1
VGA CABLE	19	CABLE	FIRST	LAB		1
VGA CABLE	20	CABLE	FIRST	LAB		1
VGA CABLE	21	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	22	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	23	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	24	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	25	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	26	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	27	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	28	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	29	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	30	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	31	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	32	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	33	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	34	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	35	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	36	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	37	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	38	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	39	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	40	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	41	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	42	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	43	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	44	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	45	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	46	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	47	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	48	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	49	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	50	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	51	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	52	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	53	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	54	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	55	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	56	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	57	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	58	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	59	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	60	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	61	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	62	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	63	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	64	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	65	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	66	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	67	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	68	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	69	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	70	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	71	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	72	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	73	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	74	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	75	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	76	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	77	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	78	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	79	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	80	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	81	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	82	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	83	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	84	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	85	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	86	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	87	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	88	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	89	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	90	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	91	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	92	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	93	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	94	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	95	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	96	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	97	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	98	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	99	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	100	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	101	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	102	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	103	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	104	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	105	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	106	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	107	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	108	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	109	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	110	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	111	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	112	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	113	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	114	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	115	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	116	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	117	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	118	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	119	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	120	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	1	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	2	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	3	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	4	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	5	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	6	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	7	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	8	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
LAN CABLE	9	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	10	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	11	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	12	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	13	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	14	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	15	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	16	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	17	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	18	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	19	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	20	CABLE	FIRST	LAB		1
LAN CABLE	21	CABLE	FIRST	LAB		1
LAN CABLE	22	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	23	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	24	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	25	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	26	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	27	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	28	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	29	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	30	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	31	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	32	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	33	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	34	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	35	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	36	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
LAN CABLE	37	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	38	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	39	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	40	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	41	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	42	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	43	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	44	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	45	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	46	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	47	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	48	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	49	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	50	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	51	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	52	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	53	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	54	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	55	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	56	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	57	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	58	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	59	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	60	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	61	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	62	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	63	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	64	CABLE	FIRST	LAB	NOT WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
LAN CABLE	65	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	66	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	67	CABLE	FIRST	LAB		1
LAN CABLE	68	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	69	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	70	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	71	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	72	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	73	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	74	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	75	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	76	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	77	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	78	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	79	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	80	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	81	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	82	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	83	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	84	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	85	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	86	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	87	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	88	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	89	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	90	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	91	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	92	CABLE	FIRST	LAB	NOT WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
LAN CABLE	93	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	94	CABLE	FIRST	LAB		1
LAN CABLE	95	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	96	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	97	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	98	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	99	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	100	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	101	CABLE	FIRST	LAB		1
LAN CABLE	102	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	103	CABLE	FIRST	LAB		1
LAN CABLE	104	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	105	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	106	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	107	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	108	CABLE	FIRST	LAB		1
LAN CABLE	109	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	110	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	111	CABLE	FIRST	LAB		1
LAN CABLE	112	CABLE	FIRST	LAB		1
LAN CABLE	113	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	114	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	115	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	116	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	117	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	118	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	119	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	120	CABLE	FIRST	LAB	NOT WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	1	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	2	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	3	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	4	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	5	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	6	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	7	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	8	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	9	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	10	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	11	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	12	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	13	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	14	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	15	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	16	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	17	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	18	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	19	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	20	CABLE	FIRST	LAB		1
MONITER POWER CABLE	21	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	22	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	23	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	24	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	25	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	26	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	27	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	28	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	29	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	30	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	31	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	32	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	33	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	34	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	35	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	36	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	37	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	38	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	39	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	40	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	41	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	42	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	43	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	44	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	45	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	46	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	47	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	48	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	49	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	50	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	51	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	52	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	53	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	54	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	55	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	56	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	57	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	58	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	59	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	60	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	61	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	62	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	63	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	64	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	65	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	66	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	67	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	68	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	69	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	70	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	71	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	72	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	73	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	74	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	75	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	76	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	77	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	78	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	79	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	80	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	81	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	82	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	83	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	84	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	85	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	86	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	87	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	88	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	89	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	90	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	91	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	92	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	93	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	94	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	95	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	96	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	97	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	98	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	99	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	100	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	101	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	102	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	103	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	104	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	105	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	106	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	107	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	108	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	109	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	110	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	111	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	112	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	113	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	114	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	115	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	116	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	117	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	118	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	119	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	120	CABLE	FIRST	LAB	WORKING	1
CPU	1	CPU	GROUD	LAB	WORKING	1
CPU	2	CPU	GROUD	LAB	WORKING	1
CPU	3	CPU	GROUD	LAB	WORKING	1
CPU	4	CPU	GROUD	LAB	WORKING	1
CPU	5	CPU	GROUD	LAB	WORKING	1
CPU	6	CPU	GROUD	LAB	WORKING	1
CPU	7	CPU	GROUD	LAB	WORKING	1
CPU	8	CPU	GROUD	LAB	WORKING	1
CPU	9	CPU	GROUD	LAB	WORKING	1
CPU	10	CPU	GROUD	LAB	WORKING	1
CPU	11	CPU	GROUD	LAB	WORKING	1
CPU	12	CPU	GROUD	LAB	WORKING	1
CPU	13	CPU	GROUD	LAB	WORKING	1
CPU	14	CPU	GROUD	LAB	WORKING	1
CPU	15	CPU	GROUD	LAB	WORKING	1
CPU	16	CPU	GROUD	LAB	WORKING	1
CPU	17	CPU	GROUD	LAB	WORKING	1
CPU	18	CPU	GROUD	LAB	WORKING	1
CPU	19	CPU	GROUD	LAB	WORKING	1
CPU	20	CPU	GROUD	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	21	CPU	GROUD	LAB	WORKING	1
CPU	22	CPU	GROUD	LAB	WORKING	1
CPU	23	CPU	GROUD	LAB	WORKING	1
CPU	24	CPU	GROUD	LAB	WORKING	1
CPU	25	CPU	GROUD	LAB	WORKING	1
CPU	26	CPU	GROUD	LAB	WORKING	1
CPU	27	CPU	GROUD	LAB	WORKING	1
CPU	28	CPU	GROUD	LAB	WORKING	1
CPU	29	CPU	GROUD	LAB	WORKING	1
CPU	30	CPU	GROUD	LAB	WORKING	1
CPU	31	CPU	GROUD	LAB	WORKING	1
CPU	32	CPU	GROUD	LAB	WORKING	1
CPU	33	CPU	GROUD	LAB	WORKING	1
CPU	34	CPU	GROUD	LAB	WORKING	1
CPU	35	CPU	GROUD	LAB	WORKING	1
CPU	36	CPU	GROUD	LAB	WORKING	1
CPU	37	CPU	GROUD	LAB	WORKING	1
CPU	38	CPU	GROUD	LAB	WORKING	1
CPU	39	CPU	GROUD	LAB	WORKING	1
CPU	40	CPU	GROUD	LAB	WORKING	1
CPU	41	CPU	GROUD	LAB	WORKING	1
CPU	42	CPU	GROUD	LAB	WORKING	1
CPU	43	CPU	GROUD	LAB	WORKING	1
CPU	44	CPU	GROUD	LAB	WORKING	1
CPU	45	CPU	GROUD	LAB	WORKING	1
CPU	46	CPU	GROUD	LAB	WORKING	1
CPU	47	CPU	GROUD	LAB	WORKING	1
CPU	48	CPU	GROUD	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	49	CPU	GROUD	LAB	WORKING	1
CPU	50	CPU	GROUD	LAB	WORKING	1
CPU	51	CPU	GROUD	LAB	WORKING	1
CPU	52	CPU	GROUD	LAB	WORKING	1
CPU	53	CPU	GROUD	LAB	WORKING	1
CPU	54	CPU	GROUD	LAB	WORKING	1
CPU	55	CPU	GROUD	LAB	WORKING	1
CPU	56	CPU	GROUD	LAB	WORKING	1
CPU	57	CPU	GROUD	LAB	WORKING	1
CPU	58	CPU	GROUD	LAB	WORKING	1
CPU	59	CPU	GROUD	LAB	WORKING	1
CPU	60	CPU	GROUD	LAB	WORKING	1
MONITOR	1	MONITOR	GROUD	LAB	WORKING	
MONITOR	2	MONITOR	GROUD	LAB	WORKING	
MONITOR	3	MONITOR	GROUD	LAB	WORKING	
MONITOR	4	MONITOR	GROUD	LAB	WORKING	
MONITOR	5	MONITOR	GROUD	LAB	WORKING	
MONITOR	6	MONITOR	GROUD	LAB	WORKING	
MONITOR	7	MONITOR	GROUD	LAB	WORKING	
MONITOR	8	MONITOR	GROUD	LAB	WORKING	
MONITOR	9	MONITOR	GROUD	LAB	WORKING	
MONITOR	10	MONITOR	GROUD	LAB	WORKING	
MONITOR	11	MONITOR	GROUD	LAB	WORKING	
MONITOR	12	MONITOR	GROUD	LAB	WORKING	
MONITOR	13	MONITOR	GROUD	LAB	WORKING	
MONITOR	14	MONITOR	GROUD	LAB	WORKING	
MONITOR	15	MONITOR	GROUD	LAB	WORKING	
MONITOR	16	MONITOR	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR	17	MONITOR	GROUD	LAB	WORKING	
MONITOR	18	MONITOR	GROUD	LAB	WORKING	
MONITOR	19	MONITOR	GROUD	LAB	WORKING	
MONITOR	20	MONITOR	GROUD	LAB	WORKING	
MONITOR	21	MONITOR	GROUD	LAB	WORKING	
MONITOR	22	MONITOR	GROUD	LAB	WORKING	
MONITOR	23	MONITOR	GROUD	LAB	WORKING	
MONITOR	24	MONITOR	GROUD	LAB	WORKING	
MONITOR	25	MONITOR	GROUD	LAB	WORKING	
MONITOR	26	MONITOR	GROUD	LAB	WORKING	
MONITOR	27	MONITOR	GROUD	LAB	WORKING	
MONITOR	28	MONITOR	GROUD	LAB	WORKING	
MONITOR	29	MONITOR	GROUD	LAB	WORKING	
MONITOR	30	MONITOR	GROUD	LAB	WORKING	
MONITOR	31	MONITOR	GROUD	LAB	WORKING	
MONITOR	32	MONITOR	GROUD	LAB	WORKING	
MONITOR	33	MONITOR	GROUD	LAB	WORKING	
MONITOR	34	MONITOR	GROUD	LAB	WORKING	
MONITOR	35	MONITOR	GROUD	LAB	WORKING	
MONITOR	36	MONITOR	GROUD	LAB	WORKING	
MONITOR	37	MONITOR	GROUD	LAB	WORKING	
MONITOR	38	MONITOR	GROUD	LAB	WORKING	
MONITOR	39	MONITOR	GROUD	LAB	WORKING	
MONITOR	40	MONITOR	GROUD	LAB	WORKING	
MONITOR	41	MONITOR	GROUD	LAB	WORKING	
MONITOR	42	MONITOR	GROUD	LAB	WORKING	
MONITOR	43	MONITOR	GROUD	LAB	NOT WORKING	
MONITOR	44	MONITOR	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR	45	MONITOR	GROUD	LAB	WORKING	
MONITOR	46	MONITOR	GROUD	LAB	WORKING	
MONITOR	47	MONITOR	GROUD	LAB	WORKING	
MONITOR	48	MONITOR	GROUD	LAB	WORKING	
MONITOR	49	MONITOR	GROUD	LAB	WORKING	
MONITOR	50	MONITOR	GROUD	LAB	WORKING	
MONITOR	51	MONITOR	GROUD	LAB	WORKING	
MONITOR	52	MONITOR	GROUD	LAB	WORKING	
MONITOR	53	MONITOR	GROUD	LAB	WORKING	
MONITOR	54	MONITOR	GROUD	LAB	WORKING	
MONITOR	55	MONITOR	GROUD	LAB	WORKING	
MONITOR	56	MONITOR	GROUD	LAB	WORKING	
MONITOR	57	MONITOR	GROUD	LAB	WORKING	
MONITOR	58	MONITOR	GROUD	LAB	WORKING	
MONITOR	59	MONITOR	GROUD	LAB	WORKING	
MONITOR	60	MONITOR	GROUD	LAB	WORKING	
HDMI CABLE	1	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	2	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	3	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	4	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	5	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	6	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	7	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	8	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	9	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	10	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	11	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	12	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
HDMI CABLE	13	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	14	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	15	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	16	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	17	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	18	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	19	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	20	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	21	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	22	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	23	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	24	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	25	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	26	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	27	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	28	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	29	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	30	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	31	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	32	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	33	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	34	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	35	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	36	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	37	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	38	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	39	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	40	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
HDMI CABLE	41	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	42	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	43	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	44	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	45	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	46	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	47	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	48	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	49	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	50	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	51	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	52	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	53	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	54	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	55	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	56	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	57	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	58	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	59	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	60	CABLE	GROUD	LAB	Missing	
KEYBOARD	1	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	2	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	3	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	4	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	5	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	6	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	7	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	8	KEYBOARD	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	9	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	10	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	11	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	12	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	13	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	14	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	15	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	16	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	17	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	18	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	19	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	20	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	21	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	22	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	23	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	24	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	25	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	26	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	27	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	28	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	29	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	30	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	31	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	32	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	33	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	34	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	35	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	36	KEYBOARD	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	37	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	38	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	39	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	40	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	41	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	42	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	43	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	44	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	45	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	46	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	47	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	48	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	49	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	50	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	51	KEYBOARD	GROUD	LAB	Missing	
KEYBOARD	52	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	53	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	54	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	55	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	56	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	57	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	58	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	59	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	60	KEYBOARD	GROUD	LAB	Missing	
MOUSE	1	MOUSE	GROUD	LAB	WORKING	
MOUSE	2	MOUSE	GROUD	LAB	WORKING	
MOUSE	3	MOUSE	GROUD	LAB	WORKING	
MOUSE	4	MOUSE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	5	MOUSE	GROUD	LAB	WORKING	
MOUSE	6	MOUSE	GROUD	LAB	WORKING	
MOUSE	7	MOUSE	GROUD	LAB	WORKING	
MOUSE	8	MOUSE	GROUD	LAB	WORKING	
MOUSE	9	MOUSE	GROUD	LAB	WORKING	
MOUSE	10	MOUSE	GROUD	LAB	WORKING	
MOUSE	11	MOUSE	GROUD	LAB	WORKING	
MOUSE	12	MOUSE	GROUD	LAB	WORKING	
MOUSE	13	MOUSE	GROUD	LAB	WORKING	
MOUSE	14	MOUSE	GROUD	LAB	WORKING	
MOUSE	15	MOUSE	GROUD	LAB	WORKING	
MOUSE	16	MOUSE	GROUD	LAB	WORKING	
MOUSE	17	MOUSE	GROUD	LAB	WORKING	
MOUSE	18	MOUSE	GROUD	LAB	WORKING	
MOUSE	19	MOUSE	GROUD	LAB	WORKING	
MOUSE	20	MOUSE	GROUD	LAB	WORKING	
MOUSE	21	MOUSE	GROUD	LAB	WORKING	
MOUSE	22	MOUSE	GROUD	LAB	WORKING	
MOUSE	23	MOUSE	GROUD	LAB	WORKING	
MOUSE	24	MOUSE	GROUD	LAB	WORKING	
MOUSE	25	MOUSE	GROUD	LAB	WORKING	
MOUSE	26	MOUSE	GROUD	LAB	WORKING	
MOUSE	27	MOUSE	GROUD	LAB	WORKING	
MOUSE	28	MOUSE	GROUD	LAB	WORKING	
MOUSE	29	MOUSE	GROUD	LAB	WORKING	
MOUSE	30	MOUSE	GROUD	LAB	WORKING	
MOUSE	31	MOUSE	GROUD	LAB	WORKING	
MOUSE	32	MOUSE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	33	MOUSE	GROUD	LAB	WORKING	
MOUSE	34	MOUSE	GROUD	LAB	WORKING	
MOUSE	35	MOUSE	GROUD	LAB	WORKING	
MOUSE	36	MOUSE	GROUD	LAB	WORKING	
MOUSE	37	MOUSE	GROUD	LAB	WORKING	
MOUSE	38	MOUSE	GROUD	LAB	WORKING	
MOUSE	39	MOUSE	GROUD	LAB	WORKING	
MOUSE	40	MOUSE	GROUD	LAB	WORKING	
MOUSE	41	MOUSE	GROUD	LAB	WORKING	
MOUSE	42	MOUSE	GROUD	LAB	WORKING	
MOUSE	43	MOUSE	GROUD	LAB	WORKING	
MOUSE	44	MOUSE	GROUD	LAB	WORKING	
MOUSE	45	MOUSE	GROUD	LAB	WORKING	
MOUSE	46	MOUSE	GROUD	LAB	WORKING	
MOUSE	47	MOUSE	GROUD	LAB	WORKING	
MOUSE	48	MOUSE	GROUD	LAB	WORKING	
MOUSE	49	MOUSE	GROUD	LAB	WORKING	
MOUSE	50	MOUSE	GROUD	LAB	WORKING	
MOUSE	51	MOUSE	GROUD	LAB	Missing	
MOUSE	52	MOUSE	GROUD	LAB	WORKING	
MOUSE	53	MOUSE	GROUD	LAB	WORKING	
MOUSE	54	MOUSE	GROUD	LAB	WORKING	
MOUSE	55	MOUSE	GROUD	LAB	WORKING	
MOUSE	56	MOUSE	GROUD	LAB	WORKING	
MOUSE	57	MOUSE	GROUD	LAB	WORKING	
MOUSE	58	MOUSE	GROUD	LAB	WORKING	
MOUSE	59	MOUSE	GROUD	LAB	WORKING	
MOUSE	60	MOUSE	GROUD	LAB	Missing	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	1	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	2	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	3	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	4	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	5	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	6	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	7	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	8	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	9	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	10	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	11	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	12	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	13	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	14	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	15	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	16	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	17	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	18	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	19	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	20	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	21	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	22	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	23	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	24	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	25	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	26	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	27	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	28	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	29	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	30	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	31	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	32	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	33	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	34	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	35	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	36	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	37	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	38	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	39	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	40	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	41	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	42	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	43	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	44	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	45	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	46	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	47	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	48	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	49	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	50	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	51	CABLE	GROUD	LAB	Missing	
CPU POWER CABLE	52	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	53	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	54	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	55	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	56	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	57	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	58	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	59	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	60	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER	1	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	2	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	3	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	4	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	5	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	6	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	7	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	8	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	9	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	10	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	11	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	12	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	13	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	14	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	15	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	16	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	17	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	18	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	19	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	20	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	21	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	22	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	23	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	24	ADAPTER	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER	25	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	26	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	27	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	28	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	29	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	30	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	31	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	32	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	33	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	34	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	35	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	36	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	37	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	38	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	39	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	40	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	41	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	42	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	43	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	44	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	45	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	46	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	47	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	48	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	49	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	50	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	51	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	52	ADAPTER	GROUD	LAB	Missing	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER	53	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	54	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	55	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	56	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	57	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	58	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	59	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	60	ADAPTER	GROUD	LAB	WORKING	
0	1	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	2	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	3	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	4	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	5	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	6	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	7	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	8	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	9	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	10	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	11	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	12	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	13	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	14	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	15	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	16	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	17	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	18	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	19	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	20	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER CABLE	21	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	22	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	23	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	24	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	25	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	26	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	27	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	28	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	29	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	30	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	31	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	32	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	33	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	34	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	35	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	36	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	37	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	38	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	39	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	40	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	41	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	42	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	43	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	44	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	45	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	46	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	47	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	48	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER CABLE	49	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	50	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	51	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	52	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	53	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	54	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	55	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	56	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	57	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	58	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	59	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	60	CABLE	GROUD	LAB	WORKING	
MONITOR ADAPTER	1	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	2	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	3	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	4	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	5	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	6	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	7	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	8	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	9	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	10	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	11	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	12	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	13	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	14	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	15	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	16	ADAPTER	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR ADAPTER	17	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	18	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	19	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	20	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	21	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	22	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	23	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	24	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	25	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	26	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	27	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	28	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	29	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	30	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	31	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	32	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	33	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	34	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	35	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	36	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	37	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	38	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	39	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	40	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	41	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	42	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	43	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	44	ADAPTER	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR ADAPTER	45	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	46	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	47	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	48	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	49	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	50	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	51	ADAPTER	GROUD	LAB	Missing	
MONITOR ADAPTER	52	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	53	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	54	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	55	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	56	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	57	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	58	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	59	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	60	ADAPTER	GROUD	LAB	WORKING	


Principal

T. N. Rao College
Rajkot

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	1	CPU	FIRST	LAB	WORKING	1
CPU	2	CPU	FIRST	LAB	WORKING	1
CPU	3	CPU	FIRST	LAB	WORKING	1
CPU	4	CPU	FIRST	LAB	WORKING	1
CPU	5	CPU	FIRST	LAB	WORKING	1
CPU	6	CPU	FIRST	LAB	WORKING	1
CPU	7	CPU	FIRST	LAB	WORKING	1
CPU	8	CPU	FIRST	LAB	WORKING	1
CPU	9	CPU	FIRST	LAB	WORKING	1
CPU	10	CPU	FIRST	LAB	WORKING	1
CPU	11	CPU	FIRST	LAB	WORKING	1
CPU	12	CPU	FIRST	LAB	WORKING	1
CPU	13	CPU	FIRST	LAB	WORKING	1
CPU	14	CPU	FIRST	LAB	WORKING	1
CPU	15	CPU	FIRST	LAB	WORKING	1
CPU	16	CPU	FIRST	LAB	WORKING	1
CPU	17	CPU	FIRST	LAB	WORKING	1
CPU	18	CPU	FIRST	LAB	NOT WORKING	1
CPU	19	CPU	FIRST	LAB	NOT WORKING	1
CPU	20	CPU	FIRST	LAB	WORKING	1
CPU	21	CPU	FIRST	LAB	WORKING	1
CPU	22	CPU	FIRST	LAB	WORKING	1
CPU	23	CPU	FIRST	LAB	WORKING	1
CPU	24	CPU	FIRST	LAB	WORKING	1
CPU	25	CPU	FIRST	LAB	WORKING	1
CPU	26	CPU	FIRST	LAB	WORKING	1
CPU	27	CPU	FIRST	LAB	WORKING	1
CPU	28	CPU	FIRST	LAB	WORKING	1
CPU	29	CPU	FIRST	LAB	WORKING	1
CPU	30	CPU	FIRST	LAB	WORKING	1
CPU	31	CPU	FIRST	LAB	WORKING	1
CPU	32	CPU	FIRST	LAB	WORKING	1
CPU	33	CPU	FIRST	LAB	WORKING	1
CPU	34	CPU	FIRST	LAB	WORKING	1
CPU	35	CPU	FIRST	LAB	WORKING	1
CPU	36	CPU	FIRST	LAB	WORKING	1
CPU	37	CPU	FIRST	LAB	WORKING	1
CPU	38	CPU	FIRST	LAB	WORKING	1
CPU	39	CPU	FIRST	LAB	WORKING	1
CPU	40	CPU	FIRST	LAB	WORKING	1
CPU	41	CPU	FIRST	LAB	WORKING	1
CPU	42	CPU	FIRST	LAB	WORKING	1
CPU	43	CPU	FIRST	LAB	WORKING	1
CPU	44	CPU	FIRST	LAB	WORKING	1
CPU	45	CPU	FIRST	LAB	WORKING	1
CPU	46	CPU	FIRST	LAB	WORKING	1
CPU	47	CPU	FIRST	LAB	WORKING	1
CPU	48	CPU	FIRST	LAB	WORKING	1
CPU	49	CPU	FIRST	LAB	WORKING	1
CPU	50	CPU	FIRST	LAB	WORKING	1
CPU	51	CPU	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	52	CPU	FIRST	LAB	WORKING	1
CPU	53	CPU	FIRST	LAB	WORKING	1
CPU	54	CPU	FIRST	LAB	WORKING	1
CPU	55	CPU	FIRST	LAB	WORKING	1
CPU	56	CPU	FIRST	LAB	WORKING	1
CPU	57	CPU	FIRST	LAB	NOT WORKING	1
CPU	58	CPU	FIRST	LAB	WORKING	1
CPU	59	CPU	FIRST	LAB	WORKING	1
CPU	60	CPU	FIRST	LAB	WORKING	1
CPU	61	CPU	FIRST	LAB	WORKING	1
CPU	62	CPU	FIRST	LAB	WORKING	1
CPU	63	CPU	FIRST	LAB	WORKING	1
CPU	64	CPU	FIRST	LAB	WORKING	1
CPU	65	CPU	FIRST	LAB	WORKING	1
CPU	66	CPU	FIRST	LAB	WORKING	1
CPU	67	CPU	FIRST	LAB	WORKING	1
CPU	68	CPU	FIRST	LAB	WORKING	1
CPU	69	CPU	FIRST	LAB	WORKING	1
CPU	70	CPU	FIRST	LAB	WORKING	1
CPU	71	CPU	FIRST	LAB	WORKING	1
CPU	72	CPU	FIRST	LAB	WORKING	1
CPU	73	CPU	FIRST	LAB	WORKING	1
CPU	74	CPU	FIRST	LAB	WORKING	1
CPU	75	CPU	FIRST	LAB	NOT WORKING	1
CPU	76	CPU	FIRST	LAB	WORKING	1
CPU	77	CPU	FIRST	LAB	WORKING	1
CPU	78	CPU	FIRST	LAB	WORKING	1
CPU	79	CPU	FIRST	LAB	WORKING	1
CPU	80	CPU	FIRST	LAB	WORKING	1
CPU	81	CPU	FIRST	LAB	WORKING	1
CPU	82	CPU	FIRST	LAB	WORKING	1
CPU	83	CPU	FIRST	LAB	WORKING	1
CPU	84	CPU	FIRST	LAB	WORKING	1
CPU	85	CPU	FIRST	LAB	WORKING	1
CPU	86	CPU	FIRST	LAB	WORKING	1
CPU	87	CPU	FIRST	LAB	NOT WORKING	1
CPU	88	CPU	FIRST	LAB	WORKING	1
CPU	89	CPU	FIRST	LAB	WORKING	1
CPU	90	CPU	FIRST	LAB	WORKING	1
CPU	91	CPU	FIRST	LAB	WORKING	1
CPU	92	CPU	FIRST	LAB	WORKING	1
CPU	93	CPU	FIRST	LAB	WORKING	1
CPU	94	CPU	FIRST	LAB	NOT WORKING	1
CPU	95	CPU	FIRST	LAB	WORKING	1
CPU	96	CPU	FIRST	LAB	WORKING	1
CPU	97	CPU	FIRST	LAB	WORKING	1
CPU	98	CPU	FIRST	LAB	WORKING	1
CPU	99	CPU	FIRST	LAB	WORKING	1
CPU	100	CPU	FIRST	LAB	WORKING	1
CPU	101	CPU	FIRST	LAB	WORKING	1
CPU	102	CPU	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	103	CPU	FIRST	LAB	WORKING	1
CPU	104	CPU	FIRST	LAB	WORKING	1
CPU	105	CPU	FIRST	LAB	NOT WORKING	1
CPU	106	CPU	FIRST	LAB	WORKING	1
CPU	107	CPU	FIRST	LAB	WORKING	1
CPU	108	CPU	FIRST	LAB	WORKING	1
CPU	109	CPU	FIRST	LAB	WORKING	1
CPU	110	CPU	FIRST	LAB	WORKING	1
CPU	111	CPU	FIRST	LAB	NOT WORKING	1
CPU	112	CPU	FIRST	LAB	NOT WORKING	1
CPU	113	CPU	FIRST	LAB	WORKING	1
CPU	114	CPU	FIRST	LAB	WORKING	1
CPU	115	CPU	FIRST	LAB	WORKING	1
CPU	116	CPU	FIRST	LAB	NOT WORKING	1
CPU	117	CPU	FIRST	LAB	WORKING	1
CPU	118	CPU	FIRST	LAB	WORKING	1
CPU	119	CPU	FIRST	LAB	WORKING	1
CPU	120	CPU	FIRST	LAB	WORKING	1
MONITER	1	MONITER	FIRST	LAB	WORKING	1
MONITER	2	MONITER	FIRST	LAB	WORKING	1
MONITER	3	MONITER	FIRST	LAB	WORKING	1
MONITER	4	MONITER	FIRST	LAB	WORKING	1
MONITER	5	MONITER	FIRST	LAB	WORKING	1
MONITER	6	MONITER	FIRST	LAB	WORKING	1
MONITER	7	MONITER	FIRST	LAB	WORKING	1
MONITER	8	MONITER	FIRST	LAB	WORKING	1
MONITER	9	MONITER	FIRST	LAB	WORKING	1
MONITER	10	MONITER	FIRST	LAB	WORKING	1
MONITER	11	MONITER	FIRST	LAB	WORKING	1
MONITER	12	MONITER	FIRST	LAB	WORKING	1
MONITER	13	MONITER	FIRST	LAB	WORKING	1
MONITER	14	MONITER	FIRST	LAB	WORKING	1
MONITER	15	MONITER	FIRST	LAB	WORKING	1
MONITER	16	MONITER	FIRST	LAB	WORKING	1
MONITER	17	MONITER	FIRST	LAB	WORKING	1
MONITER	18	MONITER	FIRST	LAB	WORKING	1
MONITER	19	MONITER	FIRST	LAB	WORKING	1
MONITER	20	MONITER	FIRST	LAB	WORKING	1
MONITER	21	MONITER	FIRST	LAB	WORKING	1
MONITER	22	MONITER	FIRST	LAB	WORKING	1
MONITER	23	MONITER	FIRST	LAB	WORKING	1
MONITER	24	MONITER	FIRST	LAB	WORKING	1
MONITER	25	MONITER	FIRST	LAB	WORKING	1
MONITER	26	MONITER	FIRST	LAB	WORKING	1
MONITER	27	MONITER	FIRST	LAB	WORKING	1
MONITER	28	MONITER	FIRST	LAB	WORKING	1
MONITER	29	MONITER	FIRST	LAB	WORKING	1
MONITER	30	MONITER	FIRST	LAB	WORKING	1
MONITER	31	MONITER	FIRST	LAB	WORKING	1
MONITER	32	MONITER	FIRST	LAB	WORKING	1
MONITER	33	MONITER	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER	34	MONITER	FIRST	LAB	WORKING	1
MONITER	35	MONITER	FIRST	LAB	WORKING	1
MONITER	36	MONITER	FIRST	LAB	WORKING	1
MONITER	37	MONITER	FIRST	LAB	WORKING	1
MONITER	38	MONITER	FIRST	LAB	WORKING	1
MONITER	39	MONITER	FIRST	LAB	WORKING	1
MONITER	40	MONITER	FIRST	LAB	WORKING	1
MONITER	41	MONITER	FIRST	LAB	WORKING	1
MONITER	42	MONITER	FIRST	LAB	WORKING	1
MONITER	43	MONITER	FIRST	LAB	WORKING	1
MONITER	44	MONITER	FIRST	LAB	WORKING	1
MONITER	45	MONITER	FIRST	LAB	WORKING	1
MONITER	46	MONITER	FIRST	LAB	WORKING	1
MONITER	47	MONITER	FIRST	LAB	WORKING	1
MONITER	48	MONITER	FIRST	LAB	WORKING	1
MONITER	49	MONITER	FIRST	LAB	WORKING	1
MONITER	50	MONITER	FIRST	LAB	WORKING	1
MONITER	51	MONITER	FIRST	LAB	WORKING	1
MONITER	52	MONITER	FIRST	LAB	WORKING	1
MONITER	53	MONITER	FIRST	LAB	WORKING	1
MONITER	54	MONITER	FIRST	LAB	WORKING	1
MONITER	55	MONITER	FIRST	LAB	WORKING	1
MONITER	56	MONITER	FIRST	LAB	WORKING	1
MONITER	57	MONITER	FIRST	LAB	WORKING	1
MONITER	58	MONITER	FIRST	LAB	WORKING	1
MONITER	59	MONITER	FIRST	LAB	WORKING	1
MONITER	60	MONITER	FIRST	LAB	WORKING	1
MONITER	61	MONITER	FIRST	LAB	WORKING	1
MONITER	62	MONITER	FIRST	LAB	WORKING	1
MONITER	63	MONITER	FIRST	LAB	WORKING	1
MONITER	64	MONITER	FIRST	LAB	WORKING	1
MONITER	65	MONITER	FIRST	LAB	WORKING	1
MONITER	66	MONITER	FIRST	LAB	WORKING	1
MONITER	67	MONITER	FIRST	LAB	WORKING	1
MONITER	68	MONITER	FIRST	LAB	WORKING	1
MONITER	69	MONITER	FIRST	LAB	WORKING	1
MONITER	70	MONITER	FIRST	LAB	WORKING	1
MONITER	71	MONITER	FIRST	LAB	WORKING	1
MONITER	72	MONITER	FIRST	LAB	WORKING	1
MONITER	73	MONITER	FIRST	LAB	WORKING	1
MONITER	74	MONITER	FIRST	LAB	WORKING	1
MONITER	75	MONITER	FIRST	LAB	WORKING	1
MONITER	76	MONITER	FIRST	LAB	WORKING	1
MONITER	77	MONITER	FIRST	LAB	WORKING	1
MONITER	78	MONITER	FIRST	LAB	WORKING	1
MONITER	79	MONITER	FIRST	LAB	WORKING	1
MONITER	80	MONITER	FIRST	LAB	WORKING	1
MONITER	81	MONITER	FIRST	LAB	WORKING	1
MONITER	82	MONITER	FIRST	LAB	WORKING	1
MONITER	83	MONITER	FIRST	LAB	WORKING	1
MONITER	84	MONITER	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER	85	MONITER	FIRST	LAB	WORKING	1
MONITER	86	MONITER	FIRST	LAB	WORKING	1
MONITER	87	MONITER	FIRST	LAB	WORKING	1
MONITER	88	MONITER	FIRST	LAB	WORKING	1
MONITER	89	MONITER	FIRST	LAB	WORKING	1
MONITER	90	MONITER	FIRST	LAB	WORKING	1
MONITER	91	MONITER	FIRST	LAB	WORKING	1
MONITER	92	MONITER	FIRST	LAB	WORKING	1
MONITER	93	MONITER	FIRST	LAB	WORKING	1
MONITER	94	MONITER	FIRST	LAB	WORKING	1
MONITER	95	MONITER	FIRST	LAB	WORKING	1
MONITER	96	MONITER	FIRST	LAB	WORKING	1
MONITER	97	MONITER	FIRST	LAB	WORKING	1
MONITER	98	MONITER	FIRST	LAB	WORKING	1
MONITER	99	MONITER	FIRST	LAB	WORKING	1
MONITER	100	MONITER	FIRST	LAB	WORKING	1
MONITER	101	MONITER	FIRST	LAB	WORKING	1
MONITER	102	MONITER	FIRST	LAB	WORKING	1
MONITER	103	MONITER	FIRST	LAB	WORKING	1
MONITER	104	MONITER	FIRST	LAB	WORKING	1
MONITER	105	MONITER	FIRST	LAB	WORKING	1
MONITER	106	MONITER	FIRST	LAB	WORKING	1
MONITER	107	MONITER	FIRST	LAB	WORKING	1
MONITER	108	MONITER	FIRST	LAB	WORKING	1
MONITER	109	MONITER	FIRST	LAB	WORKING	1
MONITER	110	MONITER	FIRST	LAB	WORKING	1
MONITER	111	MONITER	FIRST	LAB	WORKING	1
MONITER	112	MONITER	FIRST	LAB	WORKING	1
MONITER	113	MONITER	FIRST	LAB	WORKING	1
MONITER	114	MONITER	FIRST	LAB	WORKING	1
MONITER	115	MONITER	FIRST	LAB	WORKING	1
MONITER	116	MONITER	FIRST	LAB	WORKING	1
MONITER	117	MONITER	FIRST	LAB	WORKING	1
MONITER	118	MONITER	FIRST	LAB	WORKING	1
MONITER	119	MONITER	FIRST	LAB	WORKING	1
MONITER	120	MONITER	FIRST	LAB	WORKING	1
KEYBOARD	1	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	2	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	3	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	4	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	5	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	6	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	7	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	8	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	9	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	10	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	11	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	12	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	13	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	14	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	15	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	16	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	17	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	18	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	19	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	20	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	21	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	22	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	23	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	24	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	25	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	26	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	27	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	28	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	29	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	30	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	31	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	32	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	33	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	34	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	35	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	36	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	37	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	38	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	39	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	40	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	41	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	42	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	43	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	44	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	45	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	46	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	47	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	48	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	49	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	50	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	51	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	52	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	53	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	54	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	55	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	56	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	57	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	58	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	59	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	60	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	61	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	62	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	63	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	64	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	65	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	66	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	67	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	68	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	69	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	70	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	71	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	72	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	73	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	74	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	75	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	76	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	77	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	78	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	79	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	80	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	81	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	82	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	83	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	84	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	85	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	86	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	87	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	88	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	89	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	90	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	91	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	92	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	93	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	94	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	95	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	96	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	97	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	98	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	99	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	100	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	101	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	102	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	103	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	104	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	105	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	106	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	107	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	108	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	109	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	110	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	111	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	112	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	113	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	114	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	115	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	116	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	117	KEYBOARD	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	118	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	119	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	120	KEYBOARD	FIRST	LAB	WORKING	1
MOUSE	1	MOUSE	FIRST	LAB	WORKING	1
MOUSE	2	MOUSE	FIRST	LAB	WORKING	1
MOUSE	3	MOUSE	FIRST	LAB	WORKING	1
MOUSE	4	MOUSE	FIRST	LAB	WORKING	1
MOUSE	5	MOUSE	FIRST	LAB	WORKING	1
MOUSE	6	MOUSE	FIRST	LAB	WORKING	1
MOUSE	7	MOUSE	FIRST	LAB	WORKING	1
MOUSE	8	MOUSE	FIRST	LAB	WORKING	1
MOUSE	9	MOUSE	FIRST	LAB	WORKING	1
MOUSE	10	MOUSE	FIRST	LAB	WORKING	1
MOUSE	11	MOUSE	FIRST	LAB	WORKING	1
MOUSE	12	MOUSE	FIRST	LAB	WORKING	1
MOUSE	13	MOUSE	FIRST	LAB	WORKING	1
MOUSE	14	MOUSE	FIRST	LAB	WORKING	1
MOUSE	15	MOUSE	FIRST	LAB	WORKING	1
MOUSE	16	MOUSE	FIRST	LAB	WORKING	1
MOUSE	17	MOUSE	FIRST	LAB	WORKING	1
MOUSE	18	MOUSE	FIRST	LAB	WORKING	1
MOUSE	19	MOUSE	FIRST	LAB	WORKING	1
MOUSE	20	MOUSE	FIRST	LAB	WORKING	1
MOUSE	21	MOUSE	FIRST	LAB	WORKING	1
MOUSE	22	MOUSE	FIRST	LAB	WORKING	1
MOUSE	23	MOUSE	FIRST	LAB	WORKING	1
MOUSE	24	MOUSE	FIRST	LAB	WORKING	1
MOUSE	25	MOUSE	FIRST	LAB	WORKING	1
MOUSE	26	MOUSE	FIRST	LAB	WORKING	1
MOUSE	27	MOUSE	FIRST	LAB	WORKING	1
MOUSE	28	MOUSE	FIRST	LAB	WORKING	1
MOUSE	29	MOUSE	FIRST	LAB	WORKING	1
MOUSE	30	MOUSE	FIRST	LAB	WORKING	1
MOUSE	31	MOUSE	FIRST	LAB	WORKING	1
MOUSE	32	MOUSE	FIRST	LAB	WORKING	1
MOUSE	33	MOUSE	FIRST	LAB	WORKING	1
MOUSE	34	MOUSE	FIRST	LAB	WORKING	1
MOUSE	35	MOUSE	FIRST	LAB	WORKING	1
MOUSE	36	MOUSE	FIRST	LAB	WORKING	1
MOUSE	37	MOUSE	FIRST	LAB	WORKING	1
MOUSE	38	MOUSE	FIRST	LAB	WORKING	1
MOUSE	39	MOUSE	FIRST	LAB	WORKING	1
MOUSE	40	MOUSE	FIRST	LAB	WORKING	1
MOUSE	41	MOUSE	FIRST	LAB	WORKING	1
MOUSE	42	MOUSE	FIRST	LAB	WORKING	1
MOUSE	43	MOUSE	FIRST	LAB	WORKING	1
MOUSE	44	MOUSE	FIRST	LAB	WORKING	1
MOUSE	45	MOUSE	FIRST	LAB	WORKING	1
MOUSE	46	MOUSE	FIRST	LAB	WORKING	1
MOUSE	47	MOUSE	FIRST	LAB	WORKING	1
MOUSE	48	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	49	MOUSE	FIRST	LAB	WORKING	1
MOUSE	50	MOUSE	FIRST	LAB	WORKING	1
MOUSE	51	MOUSE	FIRST	LAB	WORKING	1
MOUSE	52	MOUSE	FIRST	LAB	WORKING	1
MOUSE	53	MOUSE	FIRST	LAB	WORKING	1
MOUSE	54	MOUSE	FIRST	LAB	WORKING	1
MOUSE	55	MOUSE	FIRST	LAB	WORKING	1
MOUSE	56	MOUSE	FIRST	LAB	WORKING	1
MOUSE	57	MOUSE	FIRST	LAB	WORKING	1
MOUSE	58	MOUSE	FIRST	LAB	WORKING	1
MOUSE	59	MOUSE	FIRST	LAB	WORKING	1
MOUSE	60	MOUSE	FIRST	LAB	WORKING	1
MOUSE	61	MOUSE	FIRST	LAB	WORKING	1
MOUSE	62	MOUSE	FIRST	LAB	WORKING	1
MOUSE	63	MOUSE	FIRST	LAB	WORKING	1
MOUSE	64	MOUSE	FIRST	LAB	WORKING	1
MOUSE	65	MOUSE	FIRST	LAB	WORKING	1
MOUSE	66	MOUSE	FIRST	LAB	WORKING	1
MOUSE	67	MOUSE	FIRST	LAB	WORKING	1
MOUSE	68	MOUSE	FIRST	LAB	WORKING	1
MOUSE	69	MOUSE	FIRST	LAB	WORKING	1
MOUSE	70	MOUSE	FIRST	LAB	WORKING	1
MOUSE	71	MOUSE	FIRST	LAB	WORKING	1
MOUSE	72	MOUSE	FIRST	LAB	WORKING	1
MOUSE	73	MOUSE	FIRST	LAB	WORKING	1
MOUSE	74	MOUSE	FIRST	LAB	WORKING	1
MOUSE	75	MOUSE	FIRST	LAB	WORKING	1
MOUSE	76	MOUSE	FIRST	LAB	WORKING	1
MOUSE	77	MOUSE	FIRST	LAB	WORKING	1
MOUSE	78	MOUSE	FIRST	LAB	WORKING	1
MOUSE	79	MOUSE	FIRST	LAB	WORKING	1
MOUSE	80	MOUSE	FIRST	LAB	WORKING	1
MOUSE	81	MOUSE	FIRST	LAB	WORKING	1
MOUSE	82	MOUSE	FIRST	LAB	WORKING	1
MOUSE	83	MOUSE	FIRST	LAB	WORKING	1
MOUSE	84	MOUSE	FIRST	LAB	WORKING	1
MOUSE	85	MOUSE	FIRST	LAB	WORKING	1
MOUSE	86	MOUSE	FIRST	LAB	WORKING	1
MOUSE	87	MOUSE	FIRST	LAB	WORKING	1
MOUSE	88	MOUSE	FIRST	LAB	WORKING	1
MOUSE	89	MOUSE	FIRST	LAB	WORKING	1
MOUSE	90	MOUSE	FIRST	LAB	WORKING	1
MOUSE	91	MOUSE	FIRST	LAB	WORKING	1
MOUSE	92	MOUSE	FIRST	LAB	WORKING	1
MOUSE	93	MOUSE	FIRST	LAB	WORKING	1
MOUSE	94	MOUSE	FIRST	LAB	WORKING	1
MOUSE	95	MOUSE	FIRST	LAB	WORKING	1
MOUSE	96	MOUSE	FIRST	LAB	WORKING	1
MOUSE	97	MOUSE	FIRST	LAB	WORKING	1
MOUSE	98	MOUSE	FIRST	LAB	WORKING	1
MOUSE	99	MOUSE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	100	MOUSE	FIRST	LAB	WORKING	1
MOUSE	101	MOUSE	FIRST	LAB	WORKING	1
MOUSE	102	MOUSE	FIRST	LAB	WORKING	1
MOUSE	103	MOUSE	FIRST	LAB	WORKING	1
MOUSE	104	MOUSE	FIRST	LAB	WORKING	1
MOUSE	105	MOUSE	FIRST	LAB	WORKING	1
MOUSE	106	MOUSE	FIRST	LAB	WORKING	1
MOUSE	107	MOUSE	FIRST	LAB	WORKING	1
MOUSE	108	MOUSE	FIRST	LAB	WORKING	1
MOUSE	109	MOUSE	FIRST	LAB	WORKING	1
MOUSE	110	MOUSE	FIRST	LAB	WORKING	1
MOUSE	111	MOUSE	FIRST	LAB	WORKING	1
MOUSE	112	MOUSE	FIRST	LAB	WORKING	1
MOUSE	113	MOUSE	FIRST	LAB	WORKING	1
MOUSE	114	MOUSE	FIRST	LAB	WORKING	1
MOUSE	115	MOUSE	FIRST	LAB	WORKING	1
MOUSE	116	MOUSE	FIRST	LAB	WORKING	1
MOUSE	117	MOUSE	FIRST	LAB	WORKING	1
MOUSE	118	MOUSE	FIRST	LAB	WORKING	1
MOUSE	119	MOUSE	FIRST	LAB	WORKING	1
MOUSE	120	MOUSE	FIRST	LAB	WORKING	1
CPU POWER CABLE	1	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	2	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	3	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	4	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	5	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	6	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	7	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	8	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	9	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	10	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	11	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	12	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	13	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	14	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	15	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	16	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	17	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	18	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	19	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	20	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	21	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	22	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	23	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	24	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	25	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	26	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	27	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	28	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	29	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	30	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	31	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	32	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	33	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	34	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	35	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	36	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	37	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	38	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	39	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	40	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	41	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	42	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	43	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	44	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	45	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	46	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	47	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	48	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	49	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	50	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	51	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	52	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	53	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	54	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	55	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	56	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	57	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	58	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	59	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	60	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	61	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	62	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	63	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	64	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	65	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	66	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	67	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	68	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	69	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	70	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	71	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	72	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	73	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	74	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	75	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	76	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	77	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	78	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	79	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	80	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	81	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	82	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	83	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	84	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	85	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	86	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	87	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	88	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	89	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	90	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	91	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	92	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	93	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	94	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	95	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	96	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	97	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	98	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	99	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	100	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	101	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	102	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	103	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	104	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	105	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	106	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	107	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	108	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	109	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	110	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	111	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	112	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	113	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	114	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	115	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	116	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	117	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	118	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	119	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	120	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	1	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	2	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	3	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	4	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	5	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	6	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	7	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	8	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	9	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	10	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	11	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	12	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	13	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	14	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	15	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	16	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	17	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	18	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	19	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	20	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	21	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	22	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	23	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	24	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	25	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	26	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	27	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	28	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	29	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	30	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	31	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	32	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	33	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	34	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	35	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	36	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	37	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	38	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	39	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	40	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	41	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	42	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	43	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	44	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	45	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	46	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	47	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	48	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	49	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	50	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	51	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	52	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	53	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	54	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	55	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	56	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	57	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	58	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	59	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	60	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	61	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	62	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	63	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	64	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	65	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	66	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	67	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	68	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	69	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	70	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	71	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	72	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	73	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	74	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	75	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	76	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	77	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	78	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	79	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	80	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	81	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	82	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	83	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	84	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	85	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	86	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	87	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	88	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	89	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	90	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	91	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	92	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	93	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	94	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	95	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	96	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	97	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	98	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	99	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	100	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	101	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	102	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	103	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	104	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	105	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	106	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	107	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	108	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	109	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	110	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	111	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	112	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	113	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	114	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
VGA CABLE	115	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	116	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	117	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	118	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	119	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	120	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	1	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	2	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	3	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	4	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	5	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	6	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	7	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	8	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	9	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	10	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	11	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	12	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	13	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	14	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	15	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	16	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	17	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	18	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	19	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	20	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	21	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	22	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	23	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	24	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	25	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	26	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	27	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	28	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	29	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	30	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	31	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	32	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	33	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	34	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	35	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	36	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	37	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	38	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	39	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	40	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	41	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	42	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	43	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	44	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	45	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
LAN CABLE	46	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	47	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	48	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	49	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	50	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	51	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	52	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	53	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	54	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	55	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	56	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	57	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	58	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	59	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	60	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	61	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	62	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	63	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	64	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	65	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	66	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	67	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	68	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	69	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	70	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	71	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	72	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	73	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	74	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	75	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	76	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	77	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	78	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	79	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	80	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	81	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	82	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	83	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	84	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	85	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	86	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	87	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	88	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	89	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	90	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	91	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	92	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	93	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	94	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	95	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	96	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
LAN CABLE	97	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	98	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	99	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	100	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	101	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	102	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	103	CABLE	FIRST	LAB		1
LAN CABLE	104	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	105	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	106	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	107	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	108	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	109	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	110	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	111	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	112	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	113	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	114	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	115	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	116	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	117	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	118	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	119	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	120	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	1	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	2	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	3	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	4	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	5	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	6	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	7	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	8	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	9	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	10	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	11	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	12	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	13	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	14	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	15	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	16	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	17	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	18	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	19	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	20	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	21	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	22	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	23	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	24	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	25	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	26	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	27	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	28	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	29	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	30	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	31	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	32	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	33	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	34	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	35	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	36	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	37	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	38	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	39	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	40	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	41	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	42	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	43	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	44	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	45	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	46	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	47	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	48	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	49	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	50	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	51	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	52	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	53	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	54	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	55	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	56	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	57	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	58	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	59	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	60	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	61	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	62	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	63	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	64	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	65	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	66	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	67	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	68	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	69	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	70	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	71	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	72	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	73	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	74	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	75	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	76	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	77	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	78	CABLE	FIRST	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITER POWER CABLE	79	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	80	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	81	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	82	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	83	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	84	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	85	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	86	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	87	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	88	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	89	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	90	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	91	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	92	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	93	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	94	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	95	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	96	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	97	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	98	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	99	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	100	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	101	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	102	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	103	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	104	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	105	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	106	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	107	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	108	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	109	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	110	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	111	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	112	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	113	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	114	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	115	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	116	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	117	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	118	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	119	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	120	CABLE	FIRST	LAB	WORKING	1
CPU	1	CPU	GROUD	LAB	WORKING	1
CPU	2	CPU	GROUD	LAB	WORKING	1
CPU	3	CPU	GROUD	LAB	WORKING	1
CPU	4	CPU	GROUD	LAB	WORKING	1
CPU	5	CPU	GROUD	LAB	WORKING	1
CPU	6	CPU	GROUD	LAB	WORKING	1
CPU	7	CPU	GROUD	LAB	WORKING	1
CPU	8	CPU	GROUD	LAB	WORKING	1
CPU	9	CPU	GROUD	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU	10	CPU	GROUD	LAB	WORKING	1
CPU	11	CPU	GROUD	LAB	WORKING	1
CPU	12	CPU	GROUD	LAB	WORKING	1
CPU	13	CPU	GROUD	LAB	WORKING	1
CPU	14	CPU	GROUD	LAB	WORKING	1
CPU	15	CPU	GROUD	LAB	WORKING	1
CPU	16	CPU	GROUD	LAB	WORKING	1
CPU	17	CPU	GROUD	LAB	WORKING	1
CPU	18	CPU	GROUD	LAB	WORKING	1
CPU	19	CPU	GROUD	LAB	WORKING	1
CPU	20	CPU	GROUD	LAB	WORKING	1
CPU	21	CPU	GROUD	LAB	WORKING	1
CPU	22	CPU	GROUD	LAB	WORKING	1
CPU	23	CPU	GROUD	LAB	WORKING	1
CPU	24	CPU	GROUD	LAB	WORKING	1
CPU	25	CPU	GROUD	LAB	WORKING	1
CPU	26	CPU	GROUD	LAB	WORKING	1
CPU	27	CPU	GROUD	LAB	WORKING	1
CPU	28	CPU	GROUD	LAB	WORKING	1
CPU	29	CPU	GROUD	LAB	WORKING	1
CPU	30	CPU	GROUD	LAB	WORKING	1
CPU	31	CPU	GROUD	LAB	WORKING	1
CPU	32	CPU	GROUD	LAB	WORKING	1
CPU	33	CPU	GROUD	LAB	WORKING	1
CPU	34	CPU	GROUD	LAB	WORKING	1
CPU	35	CPU	GROUD	LAB	WORKING	1
CPU	36	CPU	GROUD	LAB	WORKING	1
CPU	37	CPU	GROUD	LAB	WORKING	1
CPU	38	CPU	GROUD	LAB	WORKING	1
CPU	39	CPU	GROUD	LAB	WORKING	1
CPU	40	CPU	GROUD	LAB	WORKING	1
CPU	41	CPU	GROUD	LAB	WORKING	1
CPU	42	CPU	GROUD	LAB	WORKING	1
CPU	43	CPU	GROUD	LAB	WORKING	1
CPU	44	CPU	GROUD	LAB	WORKING	1
CPU	45	CPU	GROUD	LAB	WORKING	1
CPU	46	CPU	GROUD	LAB	WORKING	1
CPU	47	CPU	GROUD	LAB	WORKING	1
CPU	48	CPU	GROUD	LAB	WORKING	1
CPU	49	CPU	GROUD	LAB	WORKING	1
CPU	50	CPU	GROUD	LAB	WORKING	1
CPU	51	CPU	GROUD	LAB	WORKING	1
CPU	52	CPU	GROUD	LAB	WORKING	1
CPU	53	CPU	GROUD	LAB	WORKING	1
CPU	54	CPU	GROUD	LAB	WORKING	1
CPU	55	CPU	GROUD	LAB	WORKING	1
CPU	56	CPU	GROUD	LAB	WORKING	1
CPU	57	CPU	GROUD	LAB	WORKING	1
CPU	58	CPU	GROUD	LAB	WORKING	1
CPU	59	CPU	GROUD	LAB	WORKING	1
CPU	60	CPU	GROUD	LAB	WORKING	1

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR	1	MONITOR	GROUD	LAB	WORKING	
MONITOR	2	MONITOR	GROUD	LAB	WORKING	
MONITOR	3	MONITOR	GROUD	LAB	WORKING	
MONITOR	4	MONITOR	GROUD	LAB	WORKING	
MONITOR	5	MONITOR	GROUD	LAB	WORKING	
MONITOR	6	MONITOR	GROUD	LAB	WORKING	
MONITOR	7	MONITOR	GROUD	LAB	WORKING	
MONITOR	8	MONITOR	GROUD	LAB	WORKING	
MONITOR	9	MONITOR	GROUD	LAB	WORKING	
MONITOR	10	MONITOR	GROUD	LAB	WORKING	
MONITOR	11	MONITOR	GROUD	LAB	WORKING	
MONITOR	12	MONITOR	GROUD	LAB	WORKING	
MONITOR	13	MONITOR	GROUD	LAB	WORKING	
MONITOR	14	MONITOR	GROUD	LAB	WORKING	
MONITOR	15	MONITOR	GROUD	LAB	WORKING	
MONITOR	16	MONITOR	GROUD	LAB	WORKING	
MONITOR	17	MONITOR	GROUD	LAB	WORKING	
MONITOR	18	MONITOR	GROUD	LAB	WORKING	
MONITOR	19	MONITOR	GROUD	LAB	WORKING	
MONITOR	20	MONITOR	GROUD	LAB	WORKING	
MONITOR	21	MONITOR	GROUD	LAB	WORKING	
MONITOR	22	MONITOR	GROUD	LAB	WORKING	
MONITOR	23	MONITOR	GROUD	LAB	WORKING	
MONITOR	24	MONITOR	GROUD	LAB	WORKING	
MONITOR	25	MONITOR	GROUD	LAB	WORKING	
MONITOR	26	MONITOR	GROUD	LAB	WORKING	
MONITOR	27	MONITOR	GROUD	LAB	WORKING	
MONITOR	28	MONITOR	GROUD	LAB	WORKING	
MONITOR	29	MONITOR	GROUD	LAB	WORKING	
MONITOR	30	MONITOR	GROUD	LAB	WORKING	
MONITOR	31	MONITOR	GROUD	LAB	WORKING	
MONITOR	32	MONITOR	GROUD	LAB	WORKING	
MONITOR	33	MONITOR	GROUD	LAB	WORKING	
MONITOR	34	MONITOR	GROUD	LAB	WORKING	
MONITOR	35	MONITOR	GROUD	LAB	WORKING	
MONITOR	36	MONITOR	GROUD	LAB	WORKING	
MONITOR	37	MONITOR	GROUD	LAB	WORKING	
MONITOR	38	MONITOR	GROUD	LAB	WORKING	
MONITOR	39	MONITOR	GROUD	LAB	WORKING	
MONITOR	40	MONITOR	GROUD	LAB	WORKING	
MONITOR	41	MONITOR	GROUD	LAB	WORKING	
MONITOR	42	MONITOR	GROUD	LAB	WORKING	
MONITOR	43	MONITOR	GROUD	LAB	WORKING	
MONITOR	44	MONITOR	GROUD	LAB	WORKING	
MONITOR	45	MONITOR	GROUD	LAB	WORKING	
MONITOR	46	MONITOR	GROUD	LAB	WORKING	
MONITOR	47	MONITOR	GROUD	LAB	WORKING	
MONITOR	48	MONITOR	GROUD	LAB	NOT WORKING	
MONITOR	49	MONITOR	GROUD	LAB	WORKING	
MONITOR	50	MONITOR	GROUD	LAB	WORKING	
MONITOR	51	MONITOR	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR	52	MONITOR	GROUD	LAB	WORKING	
MONITOR	53	MONITOR	GROUD	LAB	WORKING	
MONITOR	54	MONITOR	GROUD	LAB	WORKING	
MONITOR	55	MONITOR	GROUD	LAB	WORKING	
MONITOR	56	MONITOR	GROUD	LAB	WORKING	
MONITOR	57	MONITOR	GROUD	LAB	WORKING	
MONITOR	58	MONITOR	GROUD	LAB	WORKING	
MONITOR	59	MONITOR	GROUD	LAB	WORKING	
MONITOR	60	MONITOR	GROUD	LAB	WORKING	
HDMI CABLE	1	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	2	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	3	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	4	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	5	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	6	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	7	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	8	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	9	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	10	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	11	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	12	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	13	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	14	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	15	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	16	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	17	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	18	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	19	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	20	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	21	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	22	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	23	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	24	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	25	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	26	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	27	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	28	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	29	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	30	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	31	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	32	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	33	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	34	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	35	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	36	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	37	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	38	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	39	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	40	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	41	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	42	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
HDMI CABLE	43	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	44	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	45	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	46	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	47	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	48	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	49	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	50	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	51	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	52	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	53	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	54	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	55	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	56	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	57	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	58	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	59	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	60	CABLE	GROUD	LAB	Missing	
KEYBOARD	1	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	2	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	3	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	4	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	5	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	6	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	7	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	8	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	9	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	10	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	11	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	12	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	13	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	14	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	15	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	16	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	17	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	18	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	19	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	20	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	21	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	22	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	23	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	24	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	25	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	26	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	27	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	28	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	29	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	30	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	31	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	32	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	33	KEYBOARD	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
KEYBOARD	34	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	35	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	36	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	37	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	38	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	39	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	40	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	41	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	42	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	43	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	44	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	45	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	46	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	47	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	48	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	49	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	50	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	51	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	52	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	53	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	54	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	55	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	56	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	57	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	58	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	59	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	60	KEYBOARD	GROUD	LAB	Missing	
MOUSE	1	MOUSE	GROUD	LAB	WORKING	
MOUSE	2	MOUSE	GROUD	LAB	WORKING	
MOUSE	3	MOUSE	GROUD	LAB	WORKING	
MOUSE	4	MOUSE	GROUD	LAB	WORKING	
MOUSE	5	MOUSE	GROUD	LAB	WORKING	
MOUSE	6	MOUSE	GROUD	LAB	WORKING	
MOUSE	7	MOUSE	GROUD	LAB	WORKING	
MOUSE	8	MOUSE	GROUD	LAB	WORKING	
MOUSE	9	MOUSE	GROUD	LAB	WORKING	
MOUSE	10	MOUSE	GROUD	LAB	WORKING	
MOUSE	11	MOUSE	GROUD	LAB	WORKING	
MOUSE	12	MOUSE	GROUD	LAB	WORKING	
MOUSE	13	MOUSE	GROUD	LAB	WORKING	
MOUSE	14	MOUSE	GROUD	LAB	WORKING	
MOUSE	15	MOUSE	GROUD	LAB	WORKING	
MOUSE	16	MOUSE	GROUD	LAB	WORKING	
MOUSE	17	MOUSE	GROUD	LAB	WORKING	
MOUSE	18	MOUSE	GROUD	LAB	WORKING	
MOUSE	19	MOUSE	GROUD	LAB	WORKING	
MOUSE	20	MOUSE	GROUD	LAB	WORKING	
MOUSE	21	MOUSE	GROUD	LAB	WORKING	
MOUSE	22	MOUSE	GROUD	LAB	WORKING	
MOUSE	23	MOUSE	GROUD	LAB	WORKING	
MOUSE	24	MOUSE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MOUSE	25	MOUSE	GROUD	LAB	WORKING	
MOUSE	26	MOUSE	GROUD	LAB	WORKING	
MOUSE	27	MOUSE	GROUD	LAB	WORKING	
MOUSE	28	MOUSE	GROUD	LAB	WORKING	
MOUSE	29	MOUSE	GROUD	LAB	WORKING	
MOUSE	30	MOUSE	GROUD	LAB	WORKING	
MOUSE	31	MOUSE	GROUD	LAB	WORKING	
MOUSE	32	MOUSE	GROUD	LAB	WORKING	
MOUSE	33	MOUSE	GROUD	LAB	WORKING	
MOUSE	34	MOUSE	GROUD	LAB	WORKING	
MOUSE	35	MOUSE	GROUD	LAB	WORKING	
MOUSE	36	MOUSE	GROUD	LAB	WORKING	
MOUSE	37	MOUSE	GROUD	LAB	WORKING	
MOUSE	38	MOUSE	GROUD	LAB	WORKING	
MOUSE	39	MOUSE	GROUD	LAB	WORKING	
MOUSE	40	MOUSE	GROUD	LAB	WORKING	
MOUSE	41	MOUSE	GROUD	LAB	WORKING	
MOUSE	42	MOUSE	GROUD	LAB	WORKING	
MOUSE	43	MOUSE	GROUD	LAB	WORKING	
MOUSE	44	MOUSE	GROUD	LAB	WORKING	
MOUSE	45	MOUSE	GROUD	LAB	WORKING	
MOUSE	46	MOUSE	GROUD	LAB	WORKING	
MOUSE	47	MOUSE	GROUD	LAB	WORKING	
MOUSE	48	MOUSE	GROUD	LAB	WORKING	
MOUSE	49	MOUSE	GROUD	LAB	WORKING	
MOUSE	50	MOUSE	GROUD	LAB	WORKING	
MOUSE	51	MOUSE	GROUD	LAB	Missing	
MOUSE	52	MOUSE	GROUD	LAB	WORKING	
MOUSE	53	MOUSE	GROUD	LAB	WORKING	
MOUSE	54	MOUSE	GROUD	LAB	WORKING	
MOUSE	55	MOUSE	GROUD	LAB	MISSING	
MOUSE	56	MOUSE	GROUD	LAB	WORKING	
MOUSE	57	MOUSE	GROUD	LAB	WORKING	
MOUSE	58	MOUSE	GROUD	LAB	WORKING	
MOUSE	59	MOUSE	GROUD	LAB	WORKING	
MOUSE	60	MOUSE	GROUD	LAB	WORKING	
CPU POWER CABLE	1	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	2	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	3	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	4	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	5	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	6	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	7	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	8	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	9	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	10	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	11	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	12	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	13	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	14	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	15	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
CPU POWER CABLE	16	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	17	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	18	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	19	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	20	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	21	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	22	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	23	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	24	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	25	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	26	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	27	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	28	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	29	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	30	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	31	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	32	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	33	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	34	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	35	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	36	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	37	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	38	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	39	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	40	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	41	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	42	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	43	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	44	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	45	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	46	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	47	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	48	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	49	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	50	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	51	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	52	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	53	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	54	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	55	CABLE	GROUD	LAB	MISSING	
CPU POWER CABLE	56	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	57	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	58	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	59	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	60	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER	1	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	2	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	3	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	4	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	5	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	6	ADAPTER	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER	7	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	8	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	9	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	10	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	11	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	12	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	13	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	14	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	15	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	16	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	17	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	18	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	19	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	20	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	21	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	22	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	23	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	24	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	25	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	26	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	27	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	28	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	29	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	30	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	31	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	32	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	33	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	34	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	35	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	36	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	37	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	38	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	39	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	40	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	41	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	42	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	43	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	44	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	45	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	46	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	47	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	48	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	49	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	50	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	51	ADAPTER	GROUD	LAB	MISSING	
WIFI ADAPTER	52	ADAPTER	GROUD	LAB	MISSING	
WIFI ADAPTER	53	ADAPTER	GROUD	LAB	MISSING	
WIFI ADAPTER	54	ADAPTER	GROUD	LAB	MISSING	
WIFI ADAPTER	55	ADAPTER	GROUD	LAB	MISSING	
WIFI ADAPTER	56	ADAPTER	GROUD	LAB	MISSING	
WIFI ADAPTER	57	ADAPTER	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER	58	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	59	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	60	ADAPTER	GROUD	LAB	WORKING	
0	1	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	2	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	3	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	4	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	5	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	6	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	7	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	8	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	9	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	10	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	11	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	12	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	13	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	14	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	15	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	16	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	17	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	18	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	19	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	20	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	21	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	22	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	23	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	24	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	25	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	26	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	27	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	28	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	29	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	30	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	31	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	32	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	33	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	34	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	35	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	36	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	37	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	38	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	39	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	40	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	41	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	42	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	43	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	44	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	45	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	46	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	47	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	48	CABLE	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
WIFI ADAPTER CABLE	49	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	50	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	51	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	52	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	53	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	54	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	55	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	56	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	57	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	58	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	59	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	60	CABLE	GROUD	LAB	WORKING	
MONITOR ADAPTER	1	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	2	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	3	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	4	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	5	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	6	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	7	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	8	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	9	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	10	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	11	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	12	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	13	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	14	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	15	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	16	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	17	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	18	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	19	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	20	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	21	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	22	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	23	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	24	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	25	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	26	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	27	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	28	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	29	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	30	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	31	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	32	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	33	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	34	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	35	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	36	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	37	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	38	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	39	ADAPTER	GROUD	LAB	WORKING	

Computer Lab Maintenance Report

Name	ID Tag	Category	Floor	Room	Condition	Qty
MONITOR ADAPTER	40	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	41	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	42	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	43	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	44	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	45	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	46	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	47	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	48	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	49	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	50	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	51	ADAPTER	GROUD	LAB	Missing	
MONITOR ADAPTER	52	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	53	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	54	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	55	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	56	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	57	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	58	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	59	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	60	ADAPTER	GROUD	LAB	WORKING	


Principal
T. N. Rao College
Rajkot

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
CPU	1	CPU	FIRST	LAB	WORKING	1
CPU	2	CPU	FIRST	LAB	WORKING	1
CPU	3	CPU	FIRST	LAB	WORKING	1
CPU	4	CPU	FIRST	LAB	WORKING	1
CPU	5	CPU	FIRST	LAB	WORKING	1
CPU	6	CPU	FIRST	LAB	WORKING	1
CPU	7	CPU	FIRST	LAB	NOT WORKING	1
CPU	8	CPU	FIRST	LAB	WORKING	1
CPU	9	CPU	FIRST	LAB	WORKING	1
CPU	10	CPU	FIRST	LAB	WORKING	1
CPU	11	CPU	FIRST	LAB	WORKING	1
CPU	12	CPU	FIRST	LAB	WORKING	1
CPU	13	CPU	FIRST	LAB	WORKING	1
CPU	14	CPU	FIRST	LAB	WORKING	1
CPU	15	CPU	FIRST	LAB	WORKING	1
CPU	16	CPU	FIRST	LAB	WORKING	1
CPU	17	CPU	FIRST	LAB	WORKING	1
CPU	18	CPU	FIRST	LAB	WORKING	1
CPU	19	CPU	FIRST	LAB	WORKING	1
CPU	20	CPU	FIRST	LAB	WORKING	1
CPU	21	CPU	FIRST	LAB	WORKING	1
CPU	22	CPU	FIRST	LAB	WORKING	1
CPU	23	CPU	FIRST	LAB	WORKING	1
CPU	24	CPU	FIRST	LAB	WORKING	1
CPU	25	CPU	FIRST	LAB	WORKING	1
CPU	26	CPU	FIRST	LAB	WORKING	1
CPU	27	CPU	FIRST	LAB	WORKING	1
CPU	28	CPU	FIRST	LAB	WORKING	1
CPU	29	CPU	FIRST	LAB	WORKING	1
CPU	30	CPU	FIRST	LAB	WORKING	1
CPU	31	CPU	FIRST	LAB	WORKING	1
CPU	32	CPU	FIRST	LAB	WORKING	1
CPU	33	CPU	FIRST	LAB	WORKING	1
CPU	34	CPU	FIRST	LAB	WORKING	1
CPU	35	CPU	FIRST	LAB	WORKING	1
CPU	36	CPU	FIRST	LAB	WORKING	1
CPU	37	CPU	FIRST	LAB	WORKING	1
CPU	38	CPU	FIRST	LAB	WORKING	1
CPU	39	CPU	FIRST	LAB	WORKING	1
CPU	40	CPU	FIRST	LAB	WORKING	1
CPU	41	CPU	FIRST	LAB	WORKING	1
CPU	42	CPU	FIRST	LAB	WORKING	1
CPU	43	CPU	FIRST	LAB	WORKING	1
CPU	44	CPU	FIRST	LAB	WORKING	1
CPU	45	CPU	FIRST	LAB	WORKING	1
CPU	46	CPU	FIRST	LAB	WORKING	1
CPU	47	CPU	FIRST	LAB	WORKING	1
CPU	48	CPU	FIRST	LAB	NOT WORKING	1
CPU	49	CPU	FIRST	LAB	WORKING	1
CPU	50	CPU	FIRST	LAB	WORKING	1
CPU	51	CPU	FIRST	LAB	WORKING	1
CPU	52	CPU	FIRST	LAB	WORKING	1
CPU	53	CPU	FIRST	LAB	WORKING	1
CPU	54	CPU	FIRST	LAB	WORKING	1
CPU	55	CPU	FIRST	LAB	WORKING	1
CPU	56	CPU	FIRST	LAB	WORKING	1
CPU	57	CPU	FIRST	LAB	WORKING	1
CPU	58	CPU	FIRST	LAB	WORKING	1
CPU	59	CPU	FIRST	LAB	WORKING	1
CPU	60	CPU	FIRST	LAB	WORKING	1
CPU	61	CPU	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
CPU	62	CPU	FIRST	LAB	WORKING	1
CPU	63	CPU	FIRST	LAB	WORKING	1
CPU	64	CPU	FIRST	LAB	WORKING	1
CPU	65	CPU	FIRST	LAB	WORKING	1
CPU	66	CPU	FIRST	LAB	WORKING	1
CPU	67	CPU	FIRST	LAB	WORKING	1
CPU	68	CPU	FIRST	LAB	WORKING	1
CPU	69	CPU	FIRST	LAB	WORKING	1
CPU	70	CPU	FIRST	LAB	WORKING	1
CPU	71	CPU	FIRST	LAB	WORKING	1
CPU	72	CPU	FIRST	LAB	NOT WORKING	1
CPU	73	CPU	FIRST	LAB	NOT WORKING	1
CPU	74	CPU	FIRST	LAB	WORKING	1
CPU	75	CPU	FIRST	LAB	WORKING	1
CPU	76	CPU	FIRST	LAB	WORKING	1
CPU	77	CPU	FIRST	LAB	WORKING	1
CPU	78	CPU	FIRST	LAB	WORKING	1
CPU	79	CPU	FIRST	LAB	WORKING	1
CPU	80	CPU	FIRST	LAB	WORKING	1
CPU	81	CPU	FIRST	LAB	WORKING	1
CPU	82	CPU	FIRST	LAB	WORKING	1
CPU	83	CPU	FIRST	LAB	WORKING	1
CPU	84	CPU	FIRST	LAB	WORKING	1
CPU	85	CPU	FIRST	LAB	WORKING	1
CPU	86	CPU	FIRST	LAB	WORKING	1
CPU	87	CPU	FIRST	LAB	WORKING	1
CPU	88	CPU	FIRST	LAB	WORKING	1
CPU	89	CPU	FIRST	LAB	WORKING	1
CPU	90	CPU	FIRST	LAB	NOT WORKING	1
CPU	91	CPU	FIRST	LAB	WORKING	1
CPU	92	CPU	FIRST	LAB	WORKING	1
CPU	93	CPU	FIRST	LAB	WORKING	1
CPU	94	CPU	FIRST	LAB	WORKING	1
CPU	95	CPU	FIRST	LAB	WORKING	1
CPU	96	CPU	FIRST	LAB	WORKING	1
CPU	97	CPU	FIRST	LAB	WORKING	1
CPU	98	CPU	FIRST	LAB	WORKING	1
CPU	99	CPU	FIRST	LAB	WORKING	1
CPU	100	CPU	FIRST	LAB	WORKING	1
CPU	101	CPU	FIRST	LAB	WORKING	1
CPU	102	CPU	FIRST	LAB	NOT WORKING	1
CPU	103	CPU	FIRST	LAB	WORKING	1
CPU	104	CPU	FIRST	LAB	WORKING	1
CPU	105	CPU	FIRST	LAB	WORKING	1
CPU	106	CPU	FIRST	LAB	WORKING	1
CPU	107	CPU	FIRST	LAB	WORKING	1
CPU	108	CPU	FIRST	LAB	WORKING	1
CPU	109	CPU	FIRST	LAB	WORKING	1
CPU	110	CPU	FIRST	LAB	WORKING	1
CPU	111	CPU	FIRST	LAB	WORKING	1
CPU	112	CPU	FIRST	LAB	WORKING	1
CPU	113	CPU	FIRST	LAB	WORKING	1
CPU	114	CPU	FIRST	LAB	WORKING	1
CPU	115	CPU	FIRST	LAB	WORKING	1
CPU	116	CPU	FIRST	LAB	WORKING	1
CPU	117	CPU	FIRST	LAB	WORKING	1
CPU	118	CPU	FIRST	LAB	WORKING	1
CPU	119	CPU	FIRST	LAB	WORKING	1
CPU	120	CPU	FIRST	LAB	WORKING	1
MONITER	1	MONITER	FIRST	LAB	WORKING	1
MONITER	2	MONITER	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MONITER	3	MONITER	FIRST	LAB	WORKING	1
MONITER	4	MONITER	FIRST	LAB	WORKING	1
MONITER	5	MONITER	FIRST	LAB	WORKING	1
MONITER	6	MONITER	FIRST	LAB	WORKING	1
MONITER	7	MONITER	FIRST	LAB	WORKING	1
MONITER	8	MONITER	FIRST	LAB	WORKING	1
MONITER	9	MONITER	FIRST	LAB	WORKING	1
MONITER	10	MONITER	FIRST	LAB	WORKING	1
MONITER	11	MONITER	FIRST	LAB	WORKING	1
MONITER	12	MONITER	FIRST	LAB	WORKING	1
MONITER	13	MONITER	FIRST	LAB	WORKING	1
MONITER	14	MONITER	FIRST	LAB	WORKING	1
MONITER	15	MONITER	FIRST	LAB	WORKING	1
MONITER	16	MONITER	FIRST	LAB	WORKING	1
MONITER	17	MONITER	FIRST	LAB	WORKING	1
MONITER	18	MONITER	FIRST	LAB	WORKING	1
MONITER	19	MONITER	FIRST	LAB	WORKING	1
MONITER	20	MONITER	FIRST	LAB	WORKING	1
MONITER	21	MONITER	FIRST	LAB	WORKING	1
MONITER	22	MONITER	FIRST	LAB	WORKING	1
MONITER	23	MONITER	FIRST	LAB	WORKING	1
MONITER	24	MONITER	FIRST	LAB	WORKING	1
MONITER	25	MONITER	FIRST	LAB	WORKING	1
MONITER	26	MONITER	FIRST	LAB	WORKING	1
MONITER	27	MONITER	FIRST	LAB	WORKING	1
MONITER	28	MONITER	FIRST	LAB	WORKING	1
MONITER	29	MONITER	FIRST	LAB	WORKING	1
MONITER	30	MONITER	FIRST	LAB	WORKING	1
MONITER	31	MONITER	FIRST	LAB	WORKING	1
MONITER	32	MONITER	FIRST	LAB	WORKING	1
MONITER	33	MONITER	FIRST	LAB	WORKING	1
MONITER	34	MONITER	FIRST	LAB	WORKING	1
MONITER	35	MONITER	FIRST	LAB	WORKING	1
MONITER	36	MONITER	FIRST	LAB	WORKING	1
MONITER	37	MONITER	FIRST	LAB	WORKING	1
MONITER	38	MONITER	FIRST	LAB	WORKING	1
MONITER	39	MONITER	FIRST	LAB	WORKING	1
MONITER	40	MONITER	FIRST	LAB	WORKING	1
MONITER	41	MONITER	FIRST	LAB	WORKING	1
MONITER	42	MONITER	FIRST	LAB	WORKING	1
MONITER	43	MONITER	FIRST	LAB	WORKING	1
MONITER	44	MONITER	FIRST	LAB	WORKING	1
MONITER	45	MONITER	FIRST	LAB	WORKING	1
MONITER	46	MONITER	FIRST	LAB	WORKING	1
MONITER	47	MONITER	FIRST	LAB	WORKING	1
MONITER	48	MONITER	FIRST	LAB	WORKING	1
MONITER	49	MONITER	FIRST	LAB	WORKING	1
MONITER	50	MONITER	FIRST	LAB	WORKING	1
MONITER	51	MONITER	FIRST	LAB	WORKING	1
MONITER	52	MONITER	FIRST	LAB	WORKING	1
MONITER	53	MONITER	FIRST	LAB	WORKING	1
MONITER	54	MONITER	FIRST	LAB	WORKING	1
MONITER	55	MONITER	FIRST	LAB	WORKING	1
MONITER	56	MONITER	FIRST	LAB	WORKING	1
MONITER	57	MONITER	FIRST	LAB	WORKING	1
MONITER	58	MONITER	FIRST	LAB	WORKING	1
MONITER	59	MONITER	FIRST	LAB	WORKING	1
MONITER	60	MONITER	FIRST	LAB	WORKING	1
MONITER	61	MONITER	FIRST	LAB	WORKING	1
MONITER	62	MONITER	FIRST	LAB	WORKING	1
MONITER	63	MONITER	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MONITER	64	MONITER	FIRST	LAB	WORKING	1
MONITER	65	MONITER	FIRST	LAB	WORKING	1
MONITER	66	MONITER	FIRST	LAB	WORKING	1
MONITER	67	MONITER	FIRST	LAB	WORKING	1
MONITER	68	MONITER	FIRST	LAB	WORKING	1
MONITER	69	MONITER	FIRST	LAB	WORKING	1
MONITER	70	MONITER	FIRST	LAB	WORKING	1
MONITER	71	MONITER	FIRST	LAB	WORKING	1
MONITER	72	MONITER	FIRST	LAB	WORKING	1
MONITER	73	MONITER	FIRST	LAB	WORKING	1
MONITER	74	MONITER	FIRST	LAB	WORKING	1
MONITER	75	MONITER	FIRST	LAB	WORKING	1
MONITER	76	MONITER	FIRST	LAB	WORKING	1
MONITER	77	MONITER	FIRST	LAB	WORKING	1
MONITER	78	MONITER	FIRST	LAB	WORKING	1
MONITER	79	MONITER	FIRST	LAB	WORKING	1
MONITER	80	MONITER	FIRST	LAB	WORKING	1
MONITER	81	MONITER	FIRST	LAB	WORKING	1
MONITER	82	MONITER	FIRST	LAB	WORKING	1
MONITER	83	MONITER	FIRST	LAB	WORKING	1
MONITER	84	MONITER	FIRST	LAB	WORKING	1
MONITER	85	MONITER	FIRST	LAB	WORKING	1
MONITER	86	MONITER	FIRST	LAB	WORKING	1
MONITER	87	MONITER	FIRST	LAB	WORKING	1
MONITER	88	MONITER	FIRST	LAB	WORKING	1
MONITER	89	MONITER	FIRST	LAB	WORKING	1
MONITER	90	MONITER	FIRST	LAB	WORKING	1
MONITER	91	MONITER	FIRST	LAB	WORKING	1
MONITER	92	MONITER	FIRST	LAB	WORKING	1
MONITER	93	MONITER	FIRST	LAB	WORKING	1
MONITER	94	MONITER	FIRST	LAB	WORKING	1
MONITER	95	MONITER	FIRST	LAB	WORKING	1
MONITER	96	MONITER	FIRST	LAB	WORKING	1
MONITER	97	MONITER	FIRST	LAB	WORKING	1
MONITER	98	MONITER	FIRST	LAB	WORKING	1
MONITER	99	MONITER	FIRST	LAB	WORKING	1
MONITER	100	MONITER	FIRST	LAB	WORKING	1
MONITER	101	MONITER	FIRST	LAB	WORKING	1
MONITER	102	MONITER	FIRST	LAB	WORKING	1
MONITER	103	MONITER	FIRST	LAB	WORKING	1
MONITER	104	MONITER	FIRST	LAB	WORKING	1
MONITER	105	MONITER	FIRST	LAB	WORKING	1
MONITER	106	MONITER	FIRST	LAB	WORKING	1
MONITER	107	MONITER	FIRST	LAB	WORKING	1
MONITER	108	MONITER	FIRST	LAB	WORKING	1
MONITER	109	MONITER	FIRST	LAB	WORKING	1
MONITER	110	MONITER	FIRST	LAB	WORKING	1
MONITER	111	MONITER	FIRST	LAB	WORKING	1
MONITER	112	MONITER	FIRST	LAB	WORKING	1
MONITER	113	MONITER	FIRST	LAB	WORKING	1
MONITER	114	MONITER	FIRST	LAB	WORKING	1
MONITER	115	MONITER	FIRST	LAB	WORKING	1
MONITER	116	MONITER	FIRST	LAB	WORKING	1
MONITER	117	MONITER	FIRST	LAB	WORKING	1
MONITER	118	MONITER	FIRST	LAB	WORKING	1
MONITER	119	MONITER	FIRST	LAB	WORKING	1
MONITER	120	MONITER	FIRST	LAB	WORKING	1
KEYBOARD	1	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	2	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	3	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	4	KEYBOARD	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
KEYBOARD	5	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	6	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	7	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	8	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	9	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	10	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	11	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	12	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	13	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	14	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	15	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	16	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	17	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	18	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	19	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	20	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	21	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	22	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	23	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	24	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	25	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	26	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	27	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	28	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	29	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	30	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	31	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	32	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	33	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	34	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	35	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	36	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	37	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	38	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	39	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	40	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	41	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	42	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	43	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	44	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	45	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	46	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	47	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	48	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	49	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	50	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	51	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	52	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	53	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	54	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	55	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	56	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	57	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	58	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	59	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	60	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	61	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	62	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	63	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	64	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	65	KEYBOARD	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
KEYBOARD	66	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	67	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	68	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	69	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	70	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	71	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	72	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	73	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	74	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	75	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	76	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	77	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	78	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	79	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	80	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	81	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	82	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	83	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	84	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	85	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	86	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	87	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	88	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	89	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	90	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	91	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	92	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	93	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	94	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	95	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	96	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	97	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	98	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	99	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	100	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	101	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	102	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	103	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	104	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	105	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	106	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	107	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	108	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	109	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	110	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	111	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	112	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	113	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	114	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	115	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	116	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	117	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	118	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	119	KEYBOARD	FIRST	LAB	WORKING	1
KEYBOARD	120	KEYBOARD	FIRST	LAB	WORKING	1
MOUSE	1	MOUSE	FIRST	LAB	WORKING	1
MOUSE	2	MOUSE	FIRST	LAB	WORKING	1
MOUSE	3	MOUSE	FIRST	LAB	WORKING	1
MOUSE	4	MOUSE	FIRST	LAB	WORKING	1
MOUSE	5	MOUSE	FIRST	LAB	WORKING	1
MOUSE	6	MOUSE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MOUSE	7	MOUSE	FIRST	LAB	WORKING	1
MOUSE	8	MOUSE	FIRST	LAB	WORKING	1
MOUSE	9	MOUSE	FIRST	LAB	WORKING	1
MOUSE	10	MOUSE	FIRST	LAB	WORKING	1
MOUSE	11	MOUSE	FIRST	LAB	WORKING	1
MOUSE	12	MOUSE	FIRST	LAB	WORKING	1
MOUSE	13	MOUSE	FIRST	LAB	WORKING	1
MOUSE	14	MOUSE	FIRST	LAB	WORKING	1
MOUSE	15	MOUSE	FIRST	LAB	WORKING	1
MOUSE	16	MOUSE	FIRST	LAB	WORKING	1
MOUSE	17	MOUSE	FIRST	LAB	WORKING	1
MOUSE	18	MOUSE	FIRST	LAB	WORKING	1
MOUSE	19	MOUSE	FIRST	LAB	WORKING	1
MOUSE	20	MOUSE	FIRST	LAB	WORKING	1
MOUSE	21	MOUSE	FIRST	LAB	WORKING	1
MOUSE	22	MOUSE	FIRST	LAB	WORKING	1
MOUSE	23	MOUSE	FIRST	LAB	WORKING	1
MOUSE	24	MOUSE	FIRST	LAB	WORKING	1
MOUSE	25	MOUSE	FIRST	LAB	WORKING	1
MOUSE	26	MOUSE	FIRST	LAB	WORKING	1
MOUSE	27	MOUSE	FIRST	LAB	WORKING	1
MOUSE	28	MOUSE	FIRST	LAB	WORKING	1
MOUSE	29	MOUSE	FIRST	LAB	WORKING	1
MOUSE	30	MOUSE	FIRST	LAB	WORKING	1
MOUSE	31	MOUSE	FIRST	LAB	WORKING	1
MOUSE	32	MOUSE	FIRST	LAB	WORKING	1
MOUSE	33	MOUSE	FIRST	LAB	WORKING	1
MOUSE	34	MOUSE	FIRST	LAB	WORKING	1
MOUSE	35	MOUSE	FIRST	LAB	WORKING	1
MOUSE	36	MOUSE	FIRST	LAB	WORKING	1
MOUSE	37	MOUSE	FIRST	LAB	WORKING	1
MOUSE	38	MOUSE	FIRST	LAB	WORKING	1
MOUSE	39	MOUSE	FIRST	LAB	WORKING	1
MOUSE	40	MOUSE	FIRST	LAB	WORKING	1
MOUSE	41	MOUSE	FIRST	LAB	WORKING	1
MOUSE	42	MOUSE	FIRST	LAB	WORKING	1
MOUSE	43	MOUSE	FIRST	LAB	WORKING	1
MOUSE	44	MOUSE	FIRST	LAB	WORKING	1
MOUSE	45	MOUSE	FIRST	LAB	WORKING	1
MOUSE	46	MOUSE	FIRST	LAB	WORKING	1
MOUSE	47	MOUSE	FIRST	LAB	WORKING	1
MOUSE	48	MOUSE	FIRST	LAB	WORKING	1
MOUSE	49	MOUSE	FIRST	LAB	WORKING	1
MOUSE	50	MOUSE	FIRST	LAB	WORKING	1
MOUSE	51	MOUSE	FIRST	LAB	WORKING	1
MOUSE	52	MOUSE	FIRST	LAB	WORKING	1
MOUSE	53	MOUSE	FIRST	LAB	WORKING	1
MOUSE	54	MOUSE	FIRST	LAB	WORKING	1
MOUSE	55	MOUSE	FIRST	LAB	WORKING	1
MOUSE	56	MOUSE	FIRST	LAB	WORKING	1
MOUSE	57	MOUSE	FIRST	LAB	WORKING	1
MOUSE	58	MOUSE	FIRST	LAB	WORKING	1
MOUSE	59	MOUSE	FIRST	LAB	WORKING	1
MOUSE	60	MOUSE	FIRST	LAB	WORKING	1
MOUSE	61	MOUSE	FIRST	LAB	WORKING	1
MOUSE	62	MOUSE	FIRST	LAB	WORKING	1
MOUSE	63	MOUSE	FIRST	LAB	WORKING	1
MOUSE	64	MOUSE	FIRST	LAB	WORKING	1
MOUSE	65	MOUSE	FIRST	LAB	WORKING	1
MOUSE	66	MOUSE	FIRST	LAB	WORKING	1
MOUSE	67	MOUSE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MOUSE	68	MOUSE	FIRST	LAB	WORKING	1
MOUSE	69	MOUSE	FIRST	LAB	WORKING	1
MOUSE	70	MOUSE	FIRST	LAB	WORKING	1
MOUSE	71	MOUSE	FIRST	LAB	WORKING	1
MOUSE	72	MOUSE	FIRST	LAB	WORKING	1
MOUSE	73	MOUSE	FIRST	LAB	WORKING	1
MOUSE	74	MOUSE	FIRST	LAB	WORKING	1
MOUSE	75	MOUSE	FIRST	LAB	WORKING	1
MOUSE	76	MOUSE	FIRST	LAB	WORKING	1
MOUSE	77	MOUSE	FIRST	LAB	WORKING	1
MOUSE	78	MOUSE	FIRST	LAB	WORKING	1
MOUSE	79	MOUSE	FIRST	LAB	WORKING	1
MOUSE	80	MOUSE	FIRST	LAB	WORKING	1
MOUSE	81	MOUSE	FIRST	LAB	WORKING	1
MOUSE	82	MOUSE	FIRST	LAB	WORKING	1
MOUSE	83	MOUSE	FIRST	LAB	WORKING	1
MOUSE	84	MOUSE	FIRST	LAB	WORKING	1
MOUSE	85	MOUSE	FIRST	LAB	WORKING	1
MOUSE	86	MOUSE	FIRST	LAB	WORKING	1
MOUSE	87	MOUSE	FIRST	LAB	WORKING	1
MOUSE	88	MOUSE	FIRST	LAB	WORKING	1
MOUSE	89	MOUSE	FIRST	LAB	WORKING	1
MOUSE	90	MOUSE	FIRST	LAB	WORKING	1
MOUSE	91	MOUSE	FIRST	LAB	WORKING	1
MOUSE	92	MOUSE	FIRST	LAB	WORKING	1
MOUSE	93	MOUSE	FIRST	LAB	WORKING	1
MOUSE	94	MOUSE	FIRST	LAB	WORKING	1
MOUSE	95	MOUSE	FIRST	LAB	WORKING	1
MOUSE	96	MOUSE	FIRST	LAB	WORKING	1
MOUSE	97	MOUSE	FIRST	LAB	WORKING	1
MOUSE	98	MOUSE	FIRST	LAB	WORKING	1
MOUSE	99	MOUSE	FIRST	LAB	WORKING	1
MOUSE	100	MOUSE	FIRST	LAB	WORKING	1
MOUSE	101	MOUSE	FIRST	LAB	WORKING	1
MOUSE	102	MOUSE	FIRST	LAB	WORKING	1
MOUSE	103	MOUSE	FIRST	LAB	WORKING	1
MOUSE	104	MOUSE	FIRST	LAB	WORKING	1
MOUSE	105	MOUSE	FIRST	LAB	WORKING	1
MOUSE	106	MOUSE	FIRST	LAB	WORKING	1
MOUSE	107	MOUSE	FIRST	LAB	WORKING	1
MOUSE	108	MOUSE	FIRST	LAB	WORKING	1
MOUSE	109	MOUSE	FIRST	LAB	WORKING	1
MOUSE	110	MOUSE	FIRST	LAB	WORKING	1
MOUSE	111	MOUSE	FIRST	LAB	WORKING	1
MOUSE	112	MOUSE	FIRST	LAB	WORKING	1
MOUSE	113	MOUSE	FIRST	LAB	WORKING	1
MOUSE	114	MOUSE	FIRST	LAB	WORKING	1
MOUSE	115	MOUSE	FIRST	LAB	WORKING	1
MOUSE	116	MOUSE	FIRST	LAB	WORKING	1
MOUSE	117	MOUSE	FIRST	LAB	WORKING	1
MOUSE	118	MOUSE	FIRST	LAB	WORKING	1
MOUSE	119	MOUSE	FIRST	LAB	WORKING	1
MOUSE	120	MOUSE	FIRST	LAB	WORKING	1
CPU POWER CABLE	1	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	2	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	3	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	4	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	5	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	6	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	7	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	8	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
CPU POWER CABLE	9	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	10	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	11	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	12	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	13	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	14	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	15	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	16	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	17	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	18	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	19	CABLE	FIRST	LAB	NOT WORKING	1
CPU POWER CABLE	20	CABLE	FIRST	LAB	NOT WORKING	1
CPU POWER CABLE	21	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	22	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	23	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	24	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	25	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	26	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	27	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	28	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	29	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	30	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	31	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	32	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	33	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	34	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	35	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	36	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	37	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	38	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	39	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	40	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	41	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	42	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	43	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	44	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	45	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	46	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	47	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	48	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	49	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	50	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	51	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	52	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	53	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	54	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	55	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	56	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	57	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	58	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	59	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	60	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	61	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	62	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	63	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	64	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	65	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	66	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	67	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	68	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	69	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
CPU POWER CABLE	70	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	71	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	72	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	73	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	74	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	75	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	76	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	77	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	78	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	79	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	80	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	81	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	82	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	83	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	84	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	85	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	86	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	87	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	88	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	89	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	90	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	91	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	92	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	93	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	94	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	95	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	96	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	97	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	98	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	99	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	100	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	101	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	102	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	103	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	104	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	105	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	106	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	107	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	108	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	109	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	110	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	111	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	112	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	113	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	114	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	115	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	116	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	117	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	118	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	119	CABLE	FIRST	LAB	WORKING	1
CPU POWER CABLE	120	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	1	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	2	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	3	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	4	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	5	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	6	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	7	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	8	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	9	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	10	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
VGA CABLE	11	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	12	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	13	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	14	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	15	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	16	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	17	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	18	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	19	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	20	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	21	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	22	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	23	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	24	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	25	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	26	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	27	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	28	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	29	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	30	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	31	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	32	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	33	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	34	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	35	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	36	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	37	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	38	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	39	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	40	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	41	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	42	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	43	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	44	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	45	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	46	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	47	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	48	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	49	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	50	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	51	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	52	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	53	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	54	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	55	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	56	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	57	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	58	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	59	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	60	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	61	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	62	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	63	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	64	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	65	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	66	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	67	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	68	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	69	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	70	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	71	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
VGA CABLE	72	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	73	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	74	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	75	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	76	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	77	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	78	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	79	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	80	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	81	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	82	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	83	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	84	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	85	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	86	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	87	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	88	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	89	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	90	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	91	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	92	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	93	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	94	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	95	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	96	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	97	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	98	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	99	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	100	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	101	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	102	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	103	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	104	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	105	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	106	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	107	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	108	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	109	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	110	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	111	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	112	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	113	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	114	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	115	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	116	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	117	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	118	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	119	CABLE	FIRST	LAB	WORKING	1
VGA CABLE	120	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	1	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	2	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	3	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	4	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	5	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	6	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	7	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	8	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	9	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	10	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	11	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	12	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
LAN CABLE	13	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	14	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	15	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	16	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	17	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	18	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	19	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	20	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	21	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	22	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	23	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	24	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	25	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	26	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	27	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	28	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	29	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	30	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	31	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	32	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	33	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	34	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	35	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	36	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	37	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	38	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	39	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	40	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	41	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	42	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	43	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	44	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	45	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	46	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	47	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	48	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	49	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	50	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	51	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	52	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	53	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	54	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	55	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	56	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	57	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	58	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	59	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	60	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	61	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	62	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	63	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	64	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	65	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	66	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	67	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	68	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	69	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	70	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	71	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	72	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	73	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
LAN CABLE	74	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	75	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	76	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	77	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	78	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	79	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	80	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	81	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	82	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	83	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	84	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	85	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	86	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	87	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	88	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	89	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	90	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	91	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	92	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	93	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	94	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	95	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	96	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	97	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	98	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	99	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	100	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	101	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	102	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	103	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	104	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	105	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	106	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	107	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	108	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	109	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	110	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	111	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	112	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	113	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	114	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	115	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	116	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	117	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	118	CABLE	FIRST	LAB	WORKING	1
LAN CABLE	119	CABLE	FIRST	LAB	NOT WORKING	1
LAN CABLE	120	CABLE	FIRST	LAB	NOT WORKING	1
MONITER POWER CABLE	1	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	2	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	3	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	4	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	5	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	6	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	7	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	8	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	9	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	10	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	11	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	12	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	13	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	14	CABLE	FIRST	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MONITER POWER CABLE	76	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	77	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	78	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	79	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	80	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	81	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	82	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	83	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	84	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	85	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	86	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	87	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	88	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	89	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	90	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	91	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	92	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	93	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	94	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	95	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	96	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	97	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	98	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	99	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	100	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	101	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	102	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	103	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	104	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	105	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	106	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	107	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	108	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	109	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	110	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	111	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	112	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	113	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	114	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	115	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	116	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	117	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	118	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	119	CABLE	FIRST	LAB	WORKING	1
MONITER POWER CABLE	120	CABLE	FIRST	LAB	WORKING	1
CPU	1	CPU	GROUD	LAB	WORKING	1
CPU	2	CPU	GROUD	LAB	WORKING	1
CPU	3	CPU	GROUD	LAB	WORKING	1
CPU	4	CPU	GROUD	LAB	WORKING	1
CPU	5	CPU	GROUD	LAB	WORKING	1
CPU	6	CPU	GROUD	LAB	WORKING	1
CPU	7	CPU	GROUD	LAB	WORKING	1
CPU	8	CPU	GROUD	LAB	WORKING	1
CPU	9	CPU	GROUD	LAB	WORKING	1
CPU	10	CPU	GROUD	LAB	WORKING	1
CPU	11	CPU	GROUD	LAB	WORKING	1
CPU	12	CPU	GROUD	LAB	WORKING	1
CPU	13	CPU	GROUD	LAB	WORKING	1
CPU	14	CPU	GROUD	LAB	WORKING	1
CPU	15	CPU	GROUD	LAB	WORKING	1
CPU	16	CPU	GROUD	LAB	WORKING	1

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
CPU	17	CPU	GROUD	LAB	WORKING	1
CPU	18	CPU	GROUD	LAB	WORKING	1
CPU	19	CPU	GROUD	LAB	WORKING	1
CPU	20	CPU	GROUD	LAB	WORKING	1
CPU	21	CPU	GROUD	LAB	WORKING	1
CPU	22	CPU	GROUD	LAB	WORKING	1
CPU	23	CPU	GROUD	LAB	WORKING	1
CPU	24	CPU	GROUD	LAB	WORKING	1
CPU	25	CPU	GROUD	LAB	WORKING	1
CPU	26	CPU	GROUD	LAB	WORKING	1
CPU	27	CPU	GROUD	LAB	WORKING	1
CPU	28	CPU	GROUD	LAB	WORKING	1
CPU	29	CPU	GROUD	LAB	WORKING	1
CPU	30	CPU	GROUD	LAB	WORKING	1
CPU	31	CPU	GROUD	LAB	WORKING	1
CPU	32	CPU	GROUD	LAB	WORKING	1
CPU	33	CPU	GROUD	LAB	WORKING	1
CPU	34	CPU	GROUD	LAB	WORKING	1
CPU	35	CPU	GROUD	LAB	WORKING	1
CPU	36	CPU	GROUD	LAB	WORKING	1
CPU	37	CPU	GROUD	LAB	WORKING	1
CPU	38	CPU	GROUD	LAB	WORKING	1
CPU	39	CPU	GROUD	LAB	WORKING	1
CPU	40	CPU	GROUD	LAB	WORKING	1
CPU	41	CPU	GROUD	LAB	WORKING	1
CPU	42	CPU	GROUD	LAB	WORKING	1
CPU	43	CPU	GROUD	LAB	WORKING	1
CPU	44	CPU	GROUD	LAB	WORKING	1
CPU	45	CPU	GROUD	LAB	WORKING	1
CPU	46	CPU	GROUD	LAB	WORKING	1
CPU	47	CPU	GROUD	LAB	WORKING	1
CPU	48	CPU	GROUD	LAB	WORKING	1
CPU	49	CPU	GROUD	LAB	WORKING	1
CPU	50	CPU	GROUD	LAB	WORKING	1
CPU	51	CPU	GROUD	LAB	WORKING	1
CPU	52	CPU	GROUD	LAB	WORKING	1
CPU	53	CPU	GROUD	LAB	WORKING	1
CPU	54	CPU	GROUD	LAB	WORKING	1
CPU	55	CPU	GROUD	LAB	WORKING	1
CPU	56	CPU	GROUD	LAB	WORKING	1
CPU	57	CPU	GROUD	LAB	WORKING	1
CPU	58	CPU	GROUD	LAB	WORKING	1
CPU	59	CPU	GROUD	LAB	WORKING	1
CPU	60	CPU	GROUD	LAB	WORKING	1
MONITOR	1	MONITOR	GROUD	LAB	WORKING	
MONITOR	2	MONITOR	GROUD	LAB	WORKING	
MONITOR	3	MONITOR	GROUD	LAB	WORKING	
MONITOR	4	MONITOR	GROUD	LAB	WORKING	
MONITOR	5	MONITOR	GROUD	LAB	WORKING	
MONITOR	6	MONITOR	GROUD	LAB	WORKING	
MONITOR	7	MONITOR	GROUD	LAB	WORKING	
MONITOR	8	MONITOR	GROUD	LAB	WORKING	
MONITOR	9	MONITOR	GROUD	LAB	WORKING	
MONITOR	10	MONITOR	GROUD	LAB	WORKING	
MONITOR	11	MONITOR	GROUD	LAB	WORKING	
MONITOR	12	MONITOR	GROUD	LAB	WORKING	
MONITOR	13	MONITOR	GROUD	LAB	WORKING	
MONITOR	14	MONITOR	GROUD	LAB	WORKING	
MONITOR	15	MONITOR	GROUD	LAB	WORKING	
MONITOR	16	MONITOR	GROUD	LAB	WORKING	
MONITOR	17	MONITOR	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MONITOR	18	MONITOR	GROUD	LAB	WORKING	
MONITOR	19	MONITOR	GROUD	LAB	WORKING	
MONITOR	20	MONITOR	GROUD	LAB	WORKING	
MONITOR	21	MONITOR	GROUD	LAB	WORKING	
MONITOR	22	MONITOR	GROUD	LAB	WORKING	
MONITOR	23	MONITOR	GROUD	LAB	WORKING	
MONITOR	24	MONITOR	GROUD	LAB	WORKING	
MONITOR	25	MONITOR	GROUD	LAB	WORKING	
MONITOR	26	MONITOR	GROUD	LAB	WORKING	
MONITOR	27	MONITOR	GROUD	LAB	WORKING	
MONITOR	28	MONITOR	GROUD	LAB	WORKING	
MONITOR	29	MONITOR	GROUD	LAB	WORKING	
MONITOR	30	MONITOR	GROUD	LAB	WORKING	
MONITOR	31	MONITOR	GROUD	LAB	WORKING	
MONITOR	32	MONITOR	GROUD	LAB	WORKING	
MONITOR	33	MONITOR	GROUD	LAB	WORKING	
MONITOR	34	MONITOR	GROUD	LAB	WORKING	
MONITOR	35	MONITOR	GROUD	LAB	WORKING	
MONITOR	36	MONITOR	GROUD	LAB	WORKING	
MONITOR	37	MONITOR	GROUD	LAB	WORKING	
MONITOR	38	MONITOR	GROUD	LAB	WORKING	
MONITOR	39	MONITOR	GROUD	LAB	WORKING	
MONITOR	40	MONITOR	GROUD	LAB	WORKING	
MONITOR	41	MONITOR	GROUD	LAB	WORKING	
MONITOR	42	MONITOR	GROUD	LAB	WORKING	
MONITOR	43	MONITOR	GROUD	LAB	NOT WORKING	
MONITOR	44	MONITOR	GROUD	LAB	WORKING	
MONITOR	45	MONITOR	GROUD	LAB	WORKING	
MONITOR	46	MONITOR	GROUD	LAB	WORKING	
MONITOR	47	MONITOR	GROUD	LAB	WORKING	
MONITOR	48	MONITOR	GROUD	LAB	WORKING	
MONITOR	49	MONITOR	GROUD	LAB	WORKING	
MONITOR	50	MONITOR	GROUD	LAB	WORKING	
MONITOR	51	MONITOR	GROUD	LAB	WORKING	
MONITOR	52	MONITOR	GROUD	LAB	WORKING	
MONITOR	53	MONITOR	GROUD	LAB	WORKING	
MONITOR	54	MONITOR	GROUD	LAB	WORKING	
MONITOR	55	MONITOR	GROUD	LAB	WORKING	
MONITOR	56	MONITOR	GROUD	LAB	WORKING	
MONITOR	57	MONITOR	GROUD	LAB	WORKING	
MONITOR	58	MONITOR	GROUD	LAB	WORKING	
MONITOR	59	MONITOR	GROUD	LAB	WORKING	
MONITOR	60	MONITOR	GROUD	LAB	WORKING	
HDMI CABLE	1	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	2	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	3	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	4	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	5	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	6	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	7	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	8	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	9	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	10	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	11	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	12	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	13	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	14	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	15	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	16	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	17	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	18	CABLE	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
HDMI CABLE	19	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	20	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	21	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	22	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	23	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	24	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	25	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	26	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	27	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	28	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	29	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	30	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	31	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	32	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	33	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	34	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	35	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	36	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	37	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	38	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	39	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	40	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	41	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	42	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	43	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	44	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	45	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	46	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	47	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	48	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	49	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	50	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	51	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	52	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	53	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	54	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	55	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	56	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	57	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	58	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	59	CABLE	GROUD	LAB	WORKING	
HDMI CABLE	60	CABLE	GROUD	LAB	Missing	
KEYBOARD	1	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	2	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	3	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	4	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	5	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	6	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	7	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	8	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	9	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	10	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	11	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	12	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	13	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	14	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	15	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	16	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	17	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	18	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	19	KEYBOARD	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
KEYBOARD	20	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	21	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	22	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	23	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	24	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	25	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	26	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	27	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	28	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	29	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	30	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	31	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	32	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	33	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	34	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	35	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	36	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	37	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	38	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	39	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	40	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	41	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	42	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	43	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	44	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	45	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	46	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	47	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	48	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	49	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	50	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	51	KEYBOARD	GROUD	LAB	Missing	
KEYBOARD	52	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	53	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	54	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	55	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	56	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	57	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	58	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	59	KEYBOARD	GROUD	LAB	WORKING	
KEYBOARD	60	KEYBOARD	GROUD	LAB	Missing	
MOUSE	1	MOUSE	GROUD	LAB	WORKING	
MOUSE	2	MOUSE	GROUD	LAB	WORKING	
MOUSE	3	MOUSE	GROUD	LAB	WORKING	
MOUSE	4	MOUSE	GROUD	LAB	WORKING	
MOUSE	5	MOUSE	GROUD	LAB	WORKING	
MOUSE	6	MOUSE	GROUD	LAB	WORKING	
MOUSE	7	MOUSE	GROUD	LAB	WORKING	
MOUSE	8	MOUSE	GROUD	LAB	WORKING	
MOUSE	9	MOUSE	GROUD	LAB	WORKING	
MOUSE	10	MOUSE	GROUD	LAB	WORKING	
MOUSE	11	MOUSE	GROUD	LAB	WORKING	
MOUSE	12	MOUSE	GROUD	LAB	WORKING	
MOUSE	13	MOUSE	GROUD	LAB	WORKING	
MOUSE	14	MOUSE	GROUD	LAB	WORKING	
MOUSE	15	MOUSE	GROUD	LAB	WORKING	
MOUSE	16	MOUSE	GROUD	LAB	WORKING	
MOUSE	17	MOUSE	GROUD	LAB	WORKING	
MOUSE	18	MOUSE	GROUD	LAB	WORKING	
MOUSE	19	MOUSE	GROUD	LAB	WORKING	
MOUSE	20	MOUSE	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MOUSE	21	MOUSE	GROUD	LAB	WORKING	
MOUSE	22	MOUSE	GROUD	LAB	WORKING	
MOUSE	23	MOUSE	GROUD	LAB	WORKING	
MOUSE	24	MOUSE	GROUD	LAB	WORKING	
MOUSE	25	MOUSE	GROUD	LAB	WORKING	
MOUSE	26	MOUSE	GROUD	LAB	WORKING	
MOUSE	27	MOUSE	GROUD	LAB	WORKING	
MOUSE	28	MOUSE	GROUD	LAB	WORKING	
MOUSE	29	MOUSE	GROUD	LAB	WORKING	
MOUSE	30	MOUSE	GROUD	LAB	WORKING	
MOUSE	31	MOUSE	GROUD	LAB	WORKING	
MOUSE	32	MOUSE	GROUD	LAB	WORKING	
MOUSE	33	MOUSE	GROUD	LAB	WORKING	
MOUSE	34	MOUSE	GROUD	LAB	WORKING	
MOUSE	35	MOUSE	GROUD	LAB	WORKING	
MOUSE	36	MOUSE	GROUD	LAB	WORKING	
MOUSE	37	MOUSE	GROUD	LAB	WORKING	
MOUSE	38	MOUSE	GROUD	LAB	WORKING	
MOUSE	39	MOUSE	GROUD	LAB	WORKING	
MOUSE	40	MOUSE	GROUD	LAB	WORKING	
MOUSE	41	MOUSE	GROUD	LAB	WORKING	
MOUSE	42	MOUSE	GROUD	LAB	WORKING	
MOUSE	43	MOUSE	GROUD	LAB	WORKING	
MOUSE	44	MOUSE	GROUD	LAB	WORKING	
MOUSE	45	MOUSE	GROUD	LAB	WORKING	
MOUSE	46	MOUSE	GROUD	LAB	WORKING	
MOUSE	47	MOUSE	GROUD	LAB	WORKING	
MOUSE	48	MOUSE	GROUD	LAB	WORKING	
MOUSE	49	MOUSE	GROUD	LAB	WORKING	
MOUSE	50	MOUSE	GROUD	LAB	WORKING	
MOUSE	51	MOUSE	GROUD	LAB	Missing	
MOUSE	52	MOUSE	GROUD	LAB	WORKING	
MOUSE	53	MOUSE	GROUD	LAB	WORKING	
MOUSE	54	MOUSE	GROUD	LAB	WORKING	
MOUSE	55	MOUSE	GROUD	LAB	WORKING	
MOUSE	56	MOUSE	GROUD	LAB	WORKING	
MOUSE	57	MOUSE	GROUD	LAB	WORKING	
MOUSE	58	MOUSE	GROUD	LAB	WORKING	
MOUSE	59	MOUSE	GROUD	LAB	WORKING	
MOUSE	60	MOUSE	GROUD	LAB	Missing	
CPU POWER CABLE	1	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	2	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	3	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	4	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	5	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	6	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	7	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	8	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	9	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	10	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	11	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	12	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	13	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	14	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	15	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	16	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	17	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	18	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	19	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	20	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	21	CABLE	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
CPU POWER CABLE	22	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	23	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	24	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	25	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	26	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	27	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	28	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	29	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	30	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	31	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	32	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	33	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	34	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	35	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	36	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	37	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	38	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	39	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	40	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	41	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	42	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	43	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	44	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	45	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	46	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	47	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	48	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	49	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	50	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	51	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	52	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	53	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	54	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	55	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	56	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	57	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	58	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	59	CABLE	GROUD	LAB	WORKING	
CPU POWER CABLE	60	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER	1	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	2	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	3	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	4	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	5	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	6	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	7	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	8	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	9	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	10	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	11	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	12	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	13	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	14	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	15	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	16	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	17	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	18	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	19	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	20	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	21	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	22	ADAPTER	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022


NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
WIFI ADAPTER	23	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	24	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	25	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	26	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	27	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	28	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	29	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	30	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	31	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	32	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	33	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	34	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	35	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	36	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	37	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	38	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	39	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	40	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	41	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	42	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	43	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	44	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	45	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	46	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	47	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	48	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	49	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	50	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	51	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	52	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	53	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	54	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	55	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	56	ADAPTER	GROUD	LAB	Missing	
WIFI ADAPTER	57	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	58	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	59	ADAPTER	GROUD	LAB	WORKING	
WIFI ADAPTER	60	ADAPTER	GROUD	LAB	WORKING	
0	1	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	2	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	3	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	4	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	5	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	6	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	7	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	8	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	9	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	10	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	11	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	12	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	13	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	14	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	15	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	16	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	17	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	18	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	19	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	20	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	21	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	22	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	23	CABLE	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
WIFI ADAPTER CABLE	24	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	25	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	26	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	27	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	28	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	29	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	30	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	31	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	32	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	33	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	34	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	35	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	36	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	37	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	38	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	39	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	40	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	41	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	42	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	43	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	44	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	45	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	46	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	47	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	48	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	49	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	50	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	51	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	52	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	53	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	54	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	55	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	56	CABLE	GROUD	LAB	Missing	
WIFI ADAPTER CABLE	57	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	58	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	59	CABLE	GROUD	LAB	WORKING	
WIFI ADAPTER CABLE	60	CABLE	GROUD	LAB	WORKING	
MONITOR ADAPTER	1	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	2	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	3	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	4	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	5	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	6	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	7	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	8	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	9	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	10	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	11	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	12	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	13	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	14	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	15	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	16	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	17	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	18	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	19	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	20	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	21	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	22	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	23	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	24	ADAPTER	GROUD	LAB	WORKING	

COMPUTER LAB MAINTANANCE REPORT - 2022

NAME	ID TAG	CATEGORY	FLOOR	ROOM	CONDITION	QTY
MONITOR ADAPTER	25	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	26	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	27	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	28	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	29	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	30	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	31	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	32	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	33	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	34	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	35	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	36	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	37	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	38	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	39	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	40	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	41	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	42	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	43	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	44	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	45	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	46	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	47	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	48	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	49	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	50	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	51	ADAPTER	GROUD	LAB	Missing	
MONITOR ADAPTER	52	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	53	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	54	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	55	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	56	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	57	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	58	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	59	ADAPTER	GROUD	LAB	WORKING	
MONITOR ADAPTER	60	ADAPTER	GROUD	LAB	WORKING	


 Principal
 T. N. Rao College
 Rajkot